

<b>APIONIDAE</b>	scatola
<b><i>Corimalia</i></b> Gozis, 1885	
<i>Corimalia centromaculata</i> (Costa, 1863)	3
<i>Corimalia pallida</i> (Olivier, 1807)	3
<i>Corimalia postica</i> (Gyllenhal, 1838)	3
<i>Corimalia tamarisci</i> (Gyllenhal, 1838)	3
<b><i>Allomalialia</i></b> Alonso-Zarazaga, 1989	
<i>Allomalialia quadrivirgata</i> (Costa, 1863)	3
<b><i>Hypophyes</i></b> Reitter, 1916	
<i>Hypophyes pallidulus</i> (Gravenhorst, 1807)	3
<b><i>Nanodiscus</i></b> Kiesenwetter, 1864	
<i>Nanodiscus transversus</i> (Aubé, 1850)	3
<b><i>Nanophyes</i></b> Schönherr, 1838	
<i>Nanophyes brevis brevis</i> Boheman, 1845	3
<i>Nanophyes brevis fallax</i> Rey, 1893	3
<i>Nanophyes globiformis</i> Kiesenwetter, 1864	3
<i>Nanophyes marmoratus</i> (Goeze, 1777)	3
<i>Nanophyes rubricus</i> Rosenhauer, 1856	3
<b><i>Nanomimus</i></b> Alonso-Zarazaga, 1989	
<i>Nanomimus anulatus</i> (Aragona, 1830)	3
<i>Nanomimus hemisphaericus</i> (Olivier, 1807)	3
<b><i>Microon</i></b> Alonso-Zarazaga, 1989	
<i>Microon sahlbergi</i> (Sahlberg, 1834)	3
<b><i>Dieckmanniellus</i></b> Alonso-Zarazaga, 1989	
<i>Dieckmanniellus gracilis</i> (Redtenbacher, 1849)	3
<i>Dieckmanniellus helveticus</i> (Tournier, 1867)	3
<i>Dieckmanniellus nitidulus</i> (Gyllenhal, 1838)	3
<b><i>Ctenomeropsis</i></b> Alonso-Zarazaga, 1989	
<i>Ctenomeropsis nigra</i> (Waltl, 1835)	3
<b><i>Omphalapion</i></b> Schilsky, 1901	

<i>Omphalapion dispar</i> (Germar, 1817)	4
<i>Omphalapion hookeri</i> (Kirby, 1808)	4
<i>Omphalapion sorbi</i> (Fabricius, 1792) [= <i>laevigatum</i> (Paykull, 1792)]	4
<b><i>Ceratapion</i></b> Schilsky, 1901	
<i>Ceratapion armatum</i> (Gerstäcker, 1854)	4
<i>Ceratapion austriacum</i> (Wagner, 1904)	4
<i>Ceratapion basicorne</i> (Illiger, 1807)	4
<i>Ceratapion calcaratum</i> (Wollaston, 1864)	4
<i>Ceratapion carduorum</i> (Kirby, 1808)	4
<i>Ceratapion cylindricolle</i> (Gyllenhal, 1839)	4
<i>Ceratapion damryi</i> (Desbrochers, 1894)	4
<i>Ceratapion dalmatinum</i> (Györffy, 1923)	4
<i>Ceratapion gibbirostre</i> (Gyllenhal, 1813)	4
<i>Ceratapion onopordi</i> (Kirby, 1808)	4
<i>Ceratapion penetrans</i> (Germar, 1817)	4
<i>Ceratapion scalptum</i> (Mulsant & Rey, 1858)	4
<b><i>Diplapion</i></b> Reitter, 1916	
<i>Diplapion confluens</i> (Kirby, 1808)	4
<i>Diplapion detritum</i> (Mulsant & Rey, 1858)	4
<i>Diplapion rumaniacum</i> (Wagner, 1910)	4
<i>Diplapion stolidum</i> (Germar, 1817)	4
<b><i>Alocentron</i></b> Schilsky, 1901	
<i>Alocentron curvirostre</i> (Gyllenhal, 1833)	4
<b><i>Aspidapion</i></b> Schilsky, 1906	
<i>Aspidapion aeneum</i> (Fabricius, 1775)	5
<i>Aspidapion caprai</i> Giusto, 1993	5
<i>Aspidapion radiolus</i> (Marsham, 1802)	5
<i>Aspidapion soror</i> (Rey, 1895)	5
<i>Aspidapion validum</i> (Germar, 1817)	5
<b><i>Melanapion</i></b> Wagner, 1930	
<i>Melanapion minimum</i> (Herbst, 1797)	4
<b><i>Squamapion</i></b> Bokor, 1923	
<i>Squamapion atomarium</i> (Kirby, 1808)	5
<i>Squamapion cineraceum</i> (Wencker, 1864)	5
<i>Squamapion elongatum</i> (Germar, 1817)	5
<i>Squamapion flavimanum</i> (Gyllenhal, 1833)	5

<i>Squamapion leucophaeatum</i> (Wencker, 1864)	5
<i>Squamapion minutissimum</i> (Rosenhauer, 1856)	5
<i>Squamapion oblivium</i> (Schilsky, 1902)	5
<i>Squamapion samarense</i> (Faust, 1891)	5
<i>Squamapion vicinum</i> (Kirby, 1808)	5
<b>Kalcapion</b> Schilsky, 1906	
<i>Kalcapion pallipes</i> (Kirby, 1808)	5
<i>Kalcapion semivittatum</i> (Gyllenhal, 1833)	5
<b>Taeniapion</b> Schilsky, 1906	
<i>Taeniapion rufescens</i> (Gyllenhal, 1833)	5
<i>Taeniapion rufulum</i> (Wencker, 1864)	5
<i>Taeniapion urticarium</i> (Herbst, 1784)	5
<b>Metapion</b> Schilsky, 1906	
<i>Metapion candidum</i> (Wencker, 1864)	4
<b>Pseudapion</b> Schilsky, 1906	
<i>Pseudapion fulvirostre</i> (Gyllenhal, 1833)	5
<i>Pseudapion moschatae</i> (Hoffmann, 1938)	5
<i>Pseudapion rufirostre</i> (Fabricius, 1775)	5
<b>Malvapion</b> Hoffmann, 1958	
<i>Malvapion malvae</i> (Fabricius, 1775)	5
<b>Rhopalapion</b> Schilsky, 1906	
<i>Rhopalapion longirostre</i> (Olivier, 1807)	5
<b>Trichopterapion</b> Wagner, 1926	
<i>Trichopterapion holosericeum</i> (Gyllenhal, 1833)	6
<b>Lepidapion</b> Schilsky, 1906	
<i>Lepidapion argentatum</i> (Gerstäcker, 1906)	6
<b>Exapion</b> Bedel, 1887	
<i>Exapion compactum</i> (Desbrochers, 1888)	6
<i>Exapion corniculatum</i> (Germar, 1817)	6
<i>Exapion difficile</i> (Herbst, 1797)	6
<i>Exapion elongatum</i> (Desbrochers, 1891)	6

<i>Exapion formaneki</i> (Wagner, 1929)	6
<i>Exapion fuscirostre</i> (Fabricius, 1775)	6
<i>Exapion inexpertum</i> (Wagner, 1906)	6
<i>Exapion subparallelum</i> (Desbrochers, 1888)	6
<i>Exapion ulicis</i> (Forster, 1771)	6
<b><i>Pseudoprotapion</i> Ehret, 1990</b>	
<i>Pseudoprotapion astragali</i> (Paykull, 1800)	6
<i>Pseudoprotapion elegantulum</i> (Germar, 1818)	6
<i>Pseudoprotapion ergenense</i> (Becker, 1864)	6
<b><i>Protapion</i> Schilsky, 1908</b>	
<i>Protapion apricans</i> (Herbst, 1797)	7
<i>Protapion assimile</i> (Kirby, 1808)	7
<i>Protapion burgodionum</i> (Schubert, 1957)	6
<i>Protapion dentipes</i> (Gerstäcker, 1854)	6
<i>Protapion difforme</i> (Germar, 1818)	6
<i>Protapion dissimile</i> (Germar, 1817)	6
<i>Protapion filirostre</i> (Kirby, 1808)	6
<i>Protapion fulvipes</i> (Fourcroy, 1785)	6
<i>Protapion gracilipes</i> (Dietrich, 1857)	6
<i>Protapion interjectum</i> (Desbrochers, 1895)	7
<i>Protapion laevicolle</i> (Kirby, 1811)	6
<i>Protapion nigrিতarse</i> (Kirby, 1808)	6
<i>Protapion ononicola</i> (Bach, 1854)	7
<i>Protapion ruficroides</i> (Schatzmayr, 1925)	7
<i>Protapion schoenherri</i> (Boheman, 1839)	6
<i>Protapion trifolii</i> (Linné, 1768)	7
<i>Protapion varipes</i> (Germar, 1817)	6
<b><i>Phrissotrichum</i> Schilsky, 1901</b>	
<i>Phrissotrichum delphinense</i> (Hustache, 1912)	7
<i>Phrissotrichum osellai</i> (Sacco & Colonnelli, 1983)	7
<i>Phrissotrichum revelierei</i> (Perris, 1864)	7
<i>Phrissotrichum tubiferum</i> (Gyllenhal, 1833)	7
<b><i>Osellaeus</i> Alonso-Zarazaga, 1991</b>	
<i>Osellaeus bonvouloiri</i> (C. Brisout, 1880)	7
<b><i>Helianthemapion</i> Wagner, 1930</b>	
<i>Helianthemapion aciculare</i> (Germar, 1817)	7
<i>Helianthemapion genuense</i> (Osella, 1973)	7
<i>Helianthemapion velatum</i> (Gerstäcker, 1854)	7

<b><i>Pseudoperapion</i></b> Wagner, 1930	
<i>Pseudoperapion brevirostre</i> (Herbst, 1797)	7
<b><i>Pseudostenapion</i></b> Wagner, 1930	
<i>Pseudostenapion simum</i> (Germar, 1817)	7
<b><i>Pseudaplemonus</i></b> Wagner, 1930	
<i>Pseudaplemonus limonii</i> (Kirby, 1808)	8
<i>Pseudaplemonus artemisiae</i> (Moravitz, 1861)	8
<i>Pseudaplemonus chevrolati</i> (Gyllenhal, 1833)	8
<b><i>Cistapion</i></b> Wagner, 1924	
<i>Cistapion cyanescens</i> (Gyllenhal, 1833)	8
<b><i>Perapion</i></b> Wagner, 1907	
<i>Perapion affine</i> (Kirby, 1808)	7
<i>Perapion curtirostre</i> (Germar, 1817)	7
<i>Perapion hydrolapathi</i> (Marsham, 1802)	8
<i>Perapion ilvense</i> (Wagner, 1905)	7
<i>Perapion marchicum</i> (Herbst, 1797)	7
<i>Perapion violaceum</i> (Kirby, 1808)	8
<b><i>Aizobius</i></b> Alonso-Zarazaga, 1990	
<i>Aizobius sedi</i> (Germar, 1818)	7
<b><i>Onychapion</i></b> Schilsky, 1901	
<i>Onychapion tamarisci</i> (Gyllenhal, 1839)	8
<b><i>Apion</i></b> Herbst, 1797	
<i>Apion cruentatum</i> Walton, 1844	8
<i>Apion dellabeffae</i> Schatzmayr, 1924	8
<i>Apion frumentarium</i> (Linné, 1758)	8
<i>Apion haematodes</i> Kirby, 1808	8
<i>Apion longithorax</i> Desbrochers, 1889	8
<i>Apion rubens</i> Stephens, 1839	8
<i>Apion rubiginosum</i> Grill, 1893	8
<b><i>Catapion</i></b> Schilsky, 1906	
<i>Catapion burdigalense</i> (Wencker, 1858)	8
<i>Catapion corsicum</i> (Desbrochers, 1888)	8

<i>Catapion curtulum</i> (Desbrochers, 1870)	8
<i>Catapion jaffense</i> (Desbrochers, 1896) [= <i>ononiphagus</i> Schatzmair]	8
<i>Catapion meieri</i> (Desbrochers des Loges, 1901)	8
<i>Catapion pubescens</i> (Kirby, 1811)	8
<i>Catapion seniculus</i> (Kirby, 1808)	8
<i>Catapion seriatosetosulum</i> (Wencker, 1864)	8
<b>Trichapion</b> Wagner, 1912	
<i>Trichapion simile</i> (Kirby, 1811)	8
<b>Stenopterapion</b> Bokor, 1923	
<i>Stenopterapion intermedium</i> (Eppelsheim, 1875)	8
<i>Stenopterapion meliloti</i> (Kirby, 1808)	8
<i>Stenopterapion tenue</i> (Kirby, 1808)	8
<b>Ischnopterapion</b> Bokor, 1923	
<i>Ischnopterapion aeneomicans</i> (Wencker, 1864)	9
<i>Ischnopterapion cognatum</i> (Hochhut, 1851)	9
<i>Ischnopterapion fallens</i> (Marseul, 1888)	9
<i>Ischnopterapion loti</i> (Kirby, 1808)	9
<i>Ischnopterapion modestum</i> (Germar, 1817)	9
<i>Ischnopterapion virens</i> (Herbst, 1797)	9
<b>Synapion</b> Schilsky, 1906	
<i>Synapion ebeninum</i> (Kirby, 1808)	9
<i>Synapion falzonii</i> (Schatzmayr, 1922)	9
<b>Holotrichapion</b> Györfy, 1956	
<i>Holotrichapion aestimatum</i> (Faust, 1890)	9
<i>Holotrichapion aethiops</i> (Herbst, 1797)	9
<i>Holotrichapion antennale</i> (Desbrochers, 1896)	9
<i>Holotrichapion barbirostre</i> (Hoffmann, 1952)	9
<i>Holotrichapion gracilicolle</i> (Gyllenhal, 1839)	9
<i>Holotrichapion ononis</i> (Kirby, 1808)	9
<i>Holotrichapion pisi</i> (Fabricius, 1801)	9
<b>Hemitrichapion</b> Voss, 1959	
<i>Hemitrichapion filicorne</i> (Wencker, 1864)	9
<i>Hemitrichapion juniperi</i> (Boheman, 1839)	9
<i>Hemitrichapion lanigerum</i> (Gemminger, 1871)	9
<i>Hemitrichapion pavidum</i> (Germar, 1817)	9
<i>Hemitrichapion rapulum</i> (Wencker, 1864)	9
<i>Hemitrichapion reflexum</i> (Gyllenhal, 1833)	9

<i>Hemitrichapion waltoni</i> (Stephens, 1829)	9
<b>Protopirapion</b> Alonso-Zarazaga, 1990	
<i>Protopirapion atratum</i> (Germar, 1817)	9
<i>Protopirapion kraatzi</i> (Wencker, 1859)	9
<b>Pirapion</b> Reitter, 1916	
<i>Pirapion immune</i> (Kirby, 1808)	9
<b>Mesotrichapion</b> Györfy, 1956	
<i>Mesotrichapion punctirostre</i> (Gyllenhal, 1839)	9
<b>Cyanapion</b> Bokor, 1923	
<i>Cyanapion afer</i> (Gyllenhal, 1833)	10
<i>Cyanapion columbinum</i> (Germar, 1817)	10
<i>Cyanapion gyllenhali</i> (Kirby, 1808)	10
<i>Cyanapion platalea</i> (Germar, 1817)	10
<i>Cyanapion spencii</i> (Kirby, 1808)	10
<b>Oxystoma</b> Duméril, 1806	
<i>Oxystoma cerdo</i> (Gerstäcker, 1854)	10
<i>Oxystoma cracca</i> (Linné, 1767)	10
<i>Oxystoma dimidiatum</i> (Desbrochers, 1897)	10
<i>Oxystoma ochropus</i> (Germar, 1818)	10
<i>Oxystoma opeticum</i> (Bach, 1854)	10
<i>Oxystoma pomonae</i> (Fabricius, 1798)	10
<i>Oxystoma subulatum</i> (Kirby, 1808)	10
<b>Oryxolaemus</b> Alonso-Zarazaga, 1991	
<i>Oryxolaemus flavifemoratus</i> (Herbst, 1797)	10
<i>Oryxolaemus scabiosus</i> (Weise, 1889)	10
<b>Eutrichapion</b> Reitter, 1916	
<i>Eutrichapion ervi</i> (Kirby, 1808)	10
<i>Eutrichapion facetum</i> (Gyllenhal, 1839)	10
<i>Eutrichapion gribodoi</i> (Desbrochers, 1896)	10
<i>Eutrichapion hydropicum</i> (Wencker, 1864)	10
<i>Eutrichapion melancholicum</i> (Wencker, 1864)	10
<i>Eutrichapion punctigerum</i> (Paykull, 1792)	10
<i>Eutrichapion viciae</i> (Paykull, 1800)	10
<i>Eutrichapion vorax</i> (Herbst, 1797)	10

<b>ATTELABIDAE</b>	<b>scatola</b>
<b><i>Auletobius</i></b> Desbrochers, 1869	
<i>Auletobius maculipennis</i> (Jacquelin du Val, 1854)	1
<i>Auletobius politus</i> (Serville, 1825)	1
<i>Auletobius pubescens</i> (Kiesenwetter, 1851)	1
<i>Auletobius ruforubrus</i> Schilsky, 1881	1
<i>Auletobius sanguisorbae</i> (Schrank, 1798)	1
<b><i>Auletes</i></b> Schönherr, 1826	
<i>Auletes tubicen</i> (Boheman, 1828)	1
<b><i>Byctiscus</i></b> Thomson, 1859	
<i>Byctiscus betulae</i> (Linné, 1758)	1
<i>Byctiscus populi</i> (Linné, 1758)	1
<b><i>Cimberis</i></b> Gozis, 1881	
<i>Cimberis attelaboides</i> (Fabricius, 1787)	1
<b><i>Deporaus</i> (<i>Deporaus</i>)</b> Leach, 1819	
<i>Deporaus</i> ( <i>Deporaus</i> ) <i>betulae</i> (Linné, 1758)	1
<i>Deporaus</i> ( <i>Deporaus</i> ) <i>mannerheimii</i> (Hummel, 1823)	1
<b><i>Deporaus</i> (<i>Conostropheus</i>)</b> Prell, 1924	
<i>Deporaus</i> ( <i>Conostropheus</i> ) <i>seminiger</i> Reitter, 1880	1
<i>Deporaus</i> ( <i>Conostropheus</i> ) <i>tristis</i> (Fabricius, 1794)	1
<b><i>Doydirhynchus</i></b> Dejean, 1821	
<i>Doydirhynchus austriacus</i> (Olivier, 1807)	1
<b><i>Lasiorrhynchites</i> (<i>Lasiorrhynchites</i>)</b> Jekel, 1860	
<i>Lasiorrhynchites</i> ( <i>Lasiorrhynchites</i> ) <i>cavifrons</i> (Gyllenhal, 1833)	2
<i>Lasiorrhynchites</i> ( <i>Lasiorrhynchites</i> ) <i>olivaceus</i> (Gyllenhal, 1833)	2
<i>Lasiorrhynchites</i> ( <i>Lasiorrhynchites</i> ) <i>praeustus</i> (Boheman, 1845)	2
<b><i>Lasiorrhynchites</i> (<i>Coccigorhynchites</i>)</b> Prell, 1926	
<i>Lasiorrhynchites</i> ( <i>Coccigorhynchites</i> ) <i>sericeus</i> (Herbst, 1797)	2
<b><i>Lasiorrhynchites</i> (<i>Stenorrhynchites</i>)</b> Voss, 1932	



<i>Lasiorrhynchites (Stenorrhynchites) coeruleocephalus</i> (Schaller, 1783)	2
<b><i>Pselaphorrhynchites</i></b> Schilsky, 1903	
<i>Pselaphorrhynchites longiceps</i> (Thompson, 1888)	2
<i>Pselaphorrhynchites nanus</i> (Paykull, 1792)	2
<i>Pselaphorrhynchites tomentosus</i> (Gyllenhal, 1839)	2
<b><i>Neocoenorrhinus</i></b> Voss, 1951	
<i>Neocoenorrhinus abeillei</i> (Desbrochers, 1868)	2
<i>Neocoenorrhinus aeneovirens</i> (Marsham, 1802)	2
<i>Neocoenorrhinus aequatus</i> (Linné, 1767)	2
<i>Neocoenorrhinus germanicus</i> (Herbst, 1797)	2
<i>Neocoenorrhinus interpunctatus</i> (Stephens, 1831)	2
<i>Neocoenorrhinus pauxillus</i> (Germar, 1824)	2
<i>Neocoenorrhinus ruber</i> (Schilsky, 1903)	2
<b><i>Nemonyx</i></b> Redtenbacher, 1845	
<i>Nemonyx lepturoides</i> (Fabricius, 1801)	1
<b><i>Notocyrtus</i></b> Desbrochers, 1868	
<i>Notocyrtus cribripennis</i> Desbrochers, 1868	2
<b><i>Rhynchites</i></b> Schneider, 1791	
<i>Rhynchites auratus</i> (Scopoli, 1763)	2
<i>Rhynchites bacchus</i> (Linné, 1758)	2
<i>Rhynchites cupreus</i> (Linné, 1758)	2
<i>Rhynchites giganteus</i> Krynicky, 1832	2
<i>Rhynchites hungaricus</i> Fuessly, 1884	2
<b><i>Involvolus</i></b> Schrank, 1798	
<i>Involvolus aethiops</i> Bach, 1854	2
<i>Involvolus caeruleus</i> (De Geer, 1775)	2
<i>Involvolus pubescens</i> (Fabricius, 1775)	2
<b><i>Attelabus</i></b> Linné, 1758	
<i>Attelabus nitens</i> (Scopoli, 1763)	1
<b><i>Apoderus</i></b> Olivier, 1807	
<i>Apoderus coryli</i> (Linné, 1758)	1
<i>Apoderus erythropterus</i> (Gmelin, 1790)	1

<b>BRACHYCERIDAE</b>	scatola
<b><i>Brachycerus</i></b> Olivier, 1790	
<i>Brachycerus aegyptiacus</i> Olivier, 1807	68
<i>Brachycerus albidentatus</i> Gyllenhal, 1840	68
<i>Brachycerus algirus</i> (Fabricius, 1787)	68
<i>Brachycerus barbarus</i> (Linné, 1758)	68
<i>Brachycerus junix</i> Liechtenstein, 1896	68
<i>Brachycerus lutosus</i> Gyllenhal, 1833	68
<i>Brachycerus plicatus</i> Gyllenhal, 1833	68
<i>Brachycerus undatus undatus</i> (Fabricius, 1798)	68
<i>Brachycerus undatus schatzmayri</i> Zumpt, 1937	68

<b>CURCULIONIDAE</b>	scatola
<b><i>Otiorhynchus (Dodecastichus)</i> Stierlin, 1861</b>	
<i>Otiorhynchus (Dodecastichus) brevipes tarentinus</i> Solari & Solari, 1915	11
<i>Otiorhynchus (Dodecastichus) consentaneus</i> Boheman, 1843	11
<i>Otiorhynchus (Dodecastichus) dalmatinus</i> Gyllenhal, 1834	11
<i>Otiorhynchus (Dodecastichus) dolomitae</i> Stierlin, 1862	11
<i>Otiorhynchus (Dodecastichus) geniculatus</i> (Germar, 1817)	11
<i>Otiorhynchus (Dodecastichus) heydeni</i> Stierlin, 1861	11
<i>Otiorhynchus (Dodecastichus) inflatus</i> Gyllenhal, 1834	11
<i>Otiorhynchus (Dodecastichus) mastix</i> (Olivier, 1807)	11
<i>Otiorhynchus (Dodecastichus) obsoletus</i> Stierlin, 1861	11
<i>Otiorhynchus (Dodecastichus) pulverulentus</i> Germar, 1824	11
<b><i>Otiorhynchus (Thalycrynychus)</i> Reitter, 1912</b>	
<i>Otiorhynchus (Thalycrynychus) perdix</i> (Olivier, 1807)	12
<i>Otiorhynchus (Thalycrynychus) thalassinus</i> Apfelbeck, 1905	12
<b><i>Otiorhynchus (Urorrhynchus)</i> Reitter, 1912</b>	
<i>Otiorhynchus (Urorrhynchus) nobilis</i> Germar, 1824	12
<i>Otiorhynchus (Urorrhynchus) sensitivus</i> (Scopoli, 1763)	12
<b><i>Otiorhynchus (Otiorhynchus)</i> Germar, 1824</b>	
<i>Otiorhynchus (Otiorhynchus) aequus</i> Casalini & Magnano, 2005	12
<i>Otiorhynchus (Otiorhynchus) amplipennis</i> Fairmaire, 1859	12
<i>Otiorhynchus (Otiorhynchus) armadillo</i> (Rossi, 1792)	13
<i>Otiorhynchus (Otiorhynchus) aurifer</i> Boheman, 1843	13
<i>Otiorhynchus (Otiorhynchus) auropunctatus</i> Gyllenhal, 1834	13
<i>Otiorhynchus (Otiorhynchus) auropupillatus</i> Stierlin, 1861	12
<i>Otiorhynchus (Otiorhynchus) bertarinii</i> Stierlin, 1894	13
<i>Otiorhynchus (Otiorhynchus) binaghii</i> Luigioni, 1931	12
<i>Otiorhynchus (Otiorhynchus) bisulcatus</i> (Fabricius, 1787)	13
<i>Otiorhynchus (Otiorhynchus) brigantii</i> Pesarini, 1980	14
<i>Otiorhynchus (Otiorhynchus) cardiniger</i> (Host, 1798)	12
<i>Otiorhynchus (Otiorhynchus) caudatus</i> (Rossi, 1792)	12
<i>Otiorhynchus (Otiorhynchus) civis</i> Stierlin, 1861	13
<i>Otiorhynchus (Otiorhynchus) cupreosparsus</i> Fairmaire, 1859	14
<i>Otiorhynchus (Otiorhynchus) fortis</i> Rosenhauer, 1847	13
<i>Otiorhynchus (Otiorhynchus) ghiliani</i> Fairmaire, 1856	13
<i>Otiorhynchus (Otiorhynchus) griseopunctatus</i> Boheman, 1843	14
<i>Otiorhynchus (Otiorhynchus) halbherri</i> Stierlin, 1890	13
<i>Otiorhynchus (Otiorhynchus) lanuginosus</i> Boheman, 1843	14
<i>Otiorhynchus (Otiorhynchus) latinus</i> Casalini & Magnano, 2005	12
<i>Otiorhynchus (Otiorhynchus) liguricus</i> Apfelbeck, 1897	13
<i>Otiorhynchus (Otiorhynchus) luigionii</i> A. Solari & F. Solari, 1908	12

<i>Otiorhynchus (Otiorhynchus) martinensis</i> G. Müller, 1898	14
<i>Otiorhynchus (Otiorhynchus) meridionalis</i> Gyllenhal, 1834	13
<i>Otiorhynchus (Otiorhynchus) niger</i> (Fabricius, 1777)	14
<i>Otiorhynchus (Otiorhynchus) osellai</i> Magnano, 1969	12
<i>Otiorhynchus (Otiorhynchus) paradisiacus</i> Pesarini, 1968	14
<i>Otiorhynchus (Otiorhynchus) praenestinus</i> Casalini & Magnano, 2005	12
<i>Otiorhynchus (Otiorhynchus) rhacusensis</i> Germar, 1822	12
<i>Otiorhynchus (Otiorhynchus) ruffoi</i> Magnano, 1969	12
<i>Otiorhynchus (Otiorhynchus) sanguinipes</i> Boheman, 1843	14
<i>Otiorhynchus (Otiorhynchus) scaberrimus</i> Stierlin, 1861	12
<i>Otiorhynchus (Otiorhynchus) sibillanicus</i> Magnano, 1969	12
<i>Otiorhynchus (Otiorhynchus) stomachosus</i> Gyllenhal, 1834	14
<i>Otiorhynchus (Otiorhynchus) sulphurifer</i> (Herbst, 1797)	13
<i>Otiorhynchus (Otiorhynchus) transadriaticus</i> Reitter, 1913	12
<i>Otiorhynchus (Otiorhynchus) vehemens</i> Boheman, 1843	13
<b><i>Otiorhynchus (Phalantorrhynchus)</i> Reitter, 1912</b>	
<i>Otiorhynchus (Phalantorrhynchus) fulvipes</i> Gyllenhal, 1834	14
<i>Otiorhynchus (Phalantorrhynchus) morio</i> (Fabricius, 1781)	14
<b><i>Otiorhynchus (Microphalantus)</i> Reitter, 1912</b>	
<i>Otiorhynchus (Microphalantus) arcticus monticola</i> Germar, 1824	14
<i>Otiorhynchus (Microphalantus) corsicus</i> Fairmaire, 1859	14
<i>Otiorhynchus (Microphalantus) laevigatus</i> Fabricius, 1792	14
<i>Otiorhynchus (Microphalantus) winkleri</i> F. Solari, 1937	14
<b><i>Otiorhynchus (Cirorrhynchus)</i> Apfelbeck, 1899</b>	
<i>Otiorhynchus (Cirorrhynchus) cribrosus</i> Germar, 1814	15
<i>Otiorhynchus (Cirorrhynchus) crinipes</i> Miller, 1863	15
<i>Otiorhynchus (Cirorrhynchus) falzonii</i> F. Solari, 1947	15
<i>Otiorhynchus (Cirorrhynchus) plumipes</i> (Germar, 1817)	15
<i>Otiorhynchus (Cirorrhynchus) sclanoi</i> Abbazzi & Magno, 2003	15
<b><i>Otiorhynchus (Asphaerorrhynchus)</i> Reitter, 1912</b>	
<i>Otiorhynchus (Asphaerorrhynchus) raucus</i> (Fabricius, 1777)	15
<b><i>Otiorhynchus (Postaremus)</i> Reitter, 1912</b>	
<i>Otiorhynchus (Postaremus) nodosus</i> (Müller, 1764)	15
<i>Otiorhynchus (Postaremus) schmidti</i> Stierlin, 1861	15
<b><i>Otiorhynchus (Jelenatus)</i> Reitter, 1912</b>	
<i>Otiorhynchus (Jelenatus) affaber</i> Boheman, 1843	15

<b><i>Otiorhynchus (Zustalestus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Zustalestus) rugosostriatus</i> (Goeze, 1777)	15
<b><i>Otiorhynchus (Presolanus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Presolanus) diottii</i> Pesarini, 2001	15
<b><i>Otiorhynchus (Elecranus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Elecranus) carnicus</i> F. Solari, 1947	15
<i>Otiorhynchus (Elecranus) chalceus</i> Stierlin, 1861	15
<i>Otiorhynchus (Elecranus) densatus</i> Boheman, 1843	15
<i>Otiorhynchus (Elecranus) vestitus</i> Gyllenhal, 1834	15
<b><i>Otiorhynchus (Rusnepranus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Rusnepranus) arenosus</i> Stierlin, 1894	15
<b><i>Otiorhynchus (Otismotilus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Otismotilus) heeri</i> Stierlin, 1858	15
<i>Otiorhynchus (Otismotilus) permundus</i> Reitter, 1913	15
<b><i>Otiorhynchus (Nilepolemis)</i></b> Reitter, 1912	
<i>Otiorhynchus (Nilepolemis) articulatus</i> K. Daniel & J. Daniel, 1898	15
<i>Otiorhynchus (Nilepolemis) cadoricus</i> K. Daniel & J. Daniel, 1891	16
<i>Otiorhynchus (Nilepolemis) coniceps</i> K. Daniel & J. Daniel, 1898	15
<i>Otiorhynchus (Nilepolemis) decipiens</i> Franz, 1938	15
<i>Otiorhynchus (Nilepolemis) distincticornis</i> Rosenhauer, 1847	15
<i>Otiorhynchus (Nilepolemis) focarilei</i> Pesarini, 1970	15
<i>Otiorhynchus (Nilepolemis) foraminosus</i> Boheman, 1843	15
<i>Otiorhynchus (Nilepolemis) hadrocerus</i> K. Daniel & J. Daniel, 1898	15
<i>Otiorhynchus (Nilepolemis) kuennemanni</i> Reitter, 1917	16
<i>Otiorhynchus (Nilepolemis) lombardus</i> Stierlin, 1866	15
<i>Otiorhynchus (Nilepolemis) muelleri</i> Rosenhauer, 1856	16
<i>Otiorhynchus (Nilepolemis) pigrans</i> Stierlin, 1861	16
<i>Otiorhynchus (Nilepolemis) sulcatellus</i> K. Daniel & J. Daniel, 1898	15
<i>Otiorhynchus (Nilepolemis) tagenioides</i> Stierlin, 1861	16
<b><i>Otiorhynchus (Lolatismus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Lolatismus) porcatus</i> (Herbst, 1795)	16
<b><i>Otiorhynchus (Nihus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Nihus) gredleri</i> K. Daniel & J. Daniel, 1898	16
<i>Otiorhynchus (Nihus) muffi</i> Germann, 2014	16

<i>Otiorhynchus (Nihus) scaber</i> (Linnaeus, 1758)	16
<i>Otiorhynchus (Nihus) subcostatus</i> Stierlin, 1866	16
<i>Otiorhynchus (Nihus) uncinatus</i> Germar, 1824	16
<b><i>Otiorhynchus (Eunihus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Eunihus) abruzzensis</i> Stierlin, 1892	16
<i>Otiorhynchus (Eunihus) hypsibatus</i> Ganglbauer, 1896	16
<b><i>Otiorhynchus (Delhandus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Delhandus) guttula</i> Fairmaire, 1859	16
<b><i>Otiorhynchus (Aranihus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Aranihus) venarum</i> Colonnelli & Casalini, 2014	16
<b><i>Otiorhynchus (Cerdelcus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Cerdelcus) frescati</i> Boheman, 1843	16
<b><i>Otiorhynchus (Paracryphiphorus)</i></b> Magnano, 1998	
<i>Otiorhynchus (Paracryphiphorus) alutaceus</i> (Germar, 1817)	16
<i>Otiorhynchus (Paracryphiphorus) orbicularis</i> (Herbst, 1795)	16
<b><i>Otiorhynchus (Dorymerus)</i></b> Seidlitz, 1890	
<i>Otiorhynchus (Dorymerus) austriacus</i> (Fabricius, 1801)	17
<i>Otiorhynchus (Dorymerus) equestris</i> Richter, 1820	17
<i>Otiorhynchus (Dorymerus) kollari</i> Germar, 1822	17
<b><i>Otiorhynchus (Metopiorrhynchus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Metopiorrhynchus) camunus</i> Magnano, 1973	17
<i>Otiorhynchus (Metopiorrhynchus) carmagnolae</i> Villa & Villa, 1835	17
<i>Otiorhynchus (Metopiorrhynchus) cancellatus</i> Boheman, 1843	17
<i>Otiorhynchus (Metopiorrhynchus) cesaraccioi</i> Osella, Mammoli & Zuppa, 1991	17
<i>Otiorhynchus (Metopiorrhynchus) cornirostris</i> Reitter, 1913	17
<i>Otiorhynchus (Metopiorrhynchus) cyclophthalmus</i> F. Solari, 1946	17
<i>Otiorhynchus (Metopiorrhynchus) diecki</i> Stierlin, 1872	17
<i>Otiorhynchus (Metopiorrhynchus) difficilis</i> Stierlin, 1858	17
<i>Otiorhynchus (Metopiorrhynchus) diversicollis</i> Lona, 1939	17
<i>Otiorhynchus (Metopiorrhynchus) dolichopterus</i> Magnano, 1967	17
<i>Otiorhynchus (Metopiorrhynchus) frigidus</i> Mulsant, 1859	17
<i>Otiorhynchus (Metopiorrhynchus) garibaldinus</i> A. Solari & F. Solari, 1908	17
<i>Otiorhynchus (Metopiorrhynchus) ianuaargenti</i> Osella, Mammoli & Zuppa, 1991	17
<i>Otiorhynchus (Metopiorrhynchus) insolitus</i> Magnano, 1967	17
<i>Otiorhynchus (Metopiorrhynchus) litigiosus</i> Magnano, 1967	17

<i>Otiorhynchus (Metopiorrhynchus) lostiai</i> Osella, Mammoli & Zuppa, 1991	17
<i>Otiorhynchus (Metopiorrhynchus) nigrinus</i> F. Solari, 1946	17
<i>Otiorhynchus (Metopiorrhynchus) pasubianus</i> F. Solari, 1946	17
<i>Otiorhynchus (Metopiorrhynchus) pignoris</i> Reitter, 1913	17
<i>Otiorhynchus (Metopiorrhynchus) pupillatus</i> Gyllenhal, 1834	17
<i>Otiorhynchus (Metopiorrhynchus) pusillus</i> Stierlin, 1861	17
<i>Otiorhynchus (Metopiorrhynchus) rosaemariae</i> Magnano, 1973	17
<i>Otiorhynchus (Metopiorrhynchus) singularis</i> (Linnaeus, 1767)	17
<i>Otiorhynchus (Metopiorrhynchus) subdentatus</i> Bach, 1854	17
<i>Otiorhynchus (Metopiorrhynchus) thoracicus</i> Stierlin, 1892	17
<i>Otiorhynchus (Metopiorrhynchus) tirolensis</i> Stierlin, 1894	17
<i>Otiorhynchus (Metopiorrhynchus) varius</i> Boheman, 1843	17
<i>Otiorhynchus (Metopiorrhynchus) venetus</i> F. Solari, 1947	17
<i>Otiorhynchus (Metopiorrhynchus) vernalis</i> Stierlin, 1861	17
<b><i>Otiorhynchus (Aleutinops)</i> Reitter, 1912</b>	
<i>Otiorhynchus (Aleutinops) elegantulus</i> Germar, 1824	18
<b><i>Otiorhynchus (Satnalistus)</i> Reitter, 1912</b>	
<i>Otiorhynchus (Satnalistus) duinensis</i> Germar, 1824	18
<i>Otiorhynchus (Satnalistus) paulinus</i> Lona, 1928	18
<b><i>Otiorhynchus (Majetnecus)</i> Reitter, 1912</b>	
<i>Otiorhynchus (Majetnecus) lepidopterus</i> (Fabricius, 1794)	18
<i>Otiorhynchus (Majetnecus) squamosus</i> Miller, 1859	18
<b><i>Otiorhynchus (Duphanastus)</i> Reitter, 1913</b>	
<i>Otiorhynchus (Duphanastus) apfelbecki</i> Stierlin, 1887	18
<i>Otiorhynchus (Duphanastus) burlinii</i> F. Solari, 1947	18
<i>Otiorhynchus (Duphanastus) fraxini</i> Germar, 1824	18
<b><i>Otiorhynchus (Usipoconus)</i> Reitter, 1913</b>	
<i>Otiorhynchus (Usipoconus) auricomus</i> Germar, 1824	18
<i>Otiorhynchus (Usipoconus) subquadratus</i> Rosenhauer, 1847	18
<b><i>Otiorhynchus (Necotaleus)</i> Reitter, 1913</b>	
<i>Otiorhynchus (Necotaleus) sirentensis</i> D'Amore, 1906	18
<i>Otiorhynchus (Necotaleus) vestinus</i> Magnano, 1977	18
<b><i>Otiorhynchus (Rosvolestus)</i> Reitter, 1912</b>	
<i>Otiorhynchus (Rosvolestus) globus</i> Boheman, 1843	18

<b><i>Otiorhynchus (Nehrodistus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Nehrodistus) armatus</i> Boheman, 1843	18
<i>Otiorhynchus (Nehrodistus) corruptor</i> (Host, 1789)	18
<i>Otiorhynchus (Nehrodistus) rhinoceros</i> F. Solari, 1940	18
<i>Otiorhynchus (Nehrodistus) turca</i> Boheman, 1843	18
<b><i>Otiorhynchus (Necotaleus)</i></b> Reitter, 1914	
<i>Otiorhynchus (Necotaleus) contarinii</i> Osella & Zuppa, 1994	18
<b><i>Otiorhynchus (Ulozenus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Ulozenus) infernalis</i> (Gyllenhal, 1817)	19
<b><i>Otiorhynchus (Normotionus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Normotionus) linearis</i> Stierlin, 1861	18
<i>Otiorhynchus (Normotionus) picenus</i> Osella & Zuppa, 1993	18
<i>Otiorhynchus (Normotionus) raffrayanus</i> F. Solari, 1940	18
<i>Otiorhynchus (Normotionus) sulcatus</i> (Fabricius, 1775)	18
<b><i>Otiorhynchus (Ergiferanus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Ergiferanus) nubilus</i> Boheman, 1843	19
<i>Otiorhynchus (Ergiferanus) tener</i> Stierlin, 1866	19
<b><i>Otiorhynchus (Mierginus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Mierginus) auricapillus</i> Germar, 1824	19
<i>Otiorhynchus (Mierginus) clathratus</i> (Germar, 1817)	19
<i>Otiorhynchus (Mierginus) montivagus</i> Boheman, 1843	19
<b><i>Otiorhynchus (Provadilus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Provadilus) alpicola</i> Boheman, 1843	18
<i>Otiorhynchus (Provadilus) moestus</i> Gyllenhal, 1834	18
<i>Otiorhynchus (Provadilus) pedemontanus</i> Stierlin, 1861	18
<i>Otiorhynchus (Provadilus) rugifrons</i> (Gyllenhal, 1813)	18
<b><i>Otiorhynchus (Prilisvanus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Prilisvanus) gemmatus</i> (Scopoli, 1763)	18
<b><i>Otiorhynchus (Otirolehus)</i></b> Reitter, 1913	
<i>Otiorhynchus (Otirolehus) calabrus</i> Stierlin, 1883	19
<b><i>Otiorhynchus (Misenatus)</i></b> Reitter, 1912	



<i>Otiorhynchus (Misenatus) lugens</i> (Germar, 1817)	19
<b><i>Otiorhynchus (Padilehus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Padilehus) pinastri</i> (Herbst, 1795)	19
<b><i>Otiorhynchus (Kreinidinus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Kreinidinus) planiceps</i> K. Daniel & J. Daniel, 1898	18
<b><i>Otiorhynchus (Acunotus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Acunotus) abbazzii</i> Osella & Zuppa, 1994	16
<i>Otiorhynchus (Acunotus) ligneoides</i> Stierlin, 1902	16
<i>Otiorhynchus (Acunotus) lutosus</i> Stierlin, 1858	18
<i>Otiorhynchus (Acunotus) pseudoligneoides</i> Magnano, 1996	16
<b><i>Otiorhynchus (Limatogaster)</i></b> Apfelbeck, 1898	
<i>Otiorhynchus (Limatogaster) cribrirostris</i> Leoni, 1906	19
<i>Otiorhynchus (Limatogaster) colonnellii</i> Magnano, 1986	19
<b><i>Otiorhynchus (Podonebistus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Podonebistus) bericus</i> Magnano, 1977	19
<i>Otiorhynchus (Podonebistus) prolixus</i> Rosenhauer, 1847	19
<b><i>Otiorhynchus (Panorosemus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Panorosemus) porcellus</i> K. Daniel & J. Daniel, 1898	19
<b><i>Otiorhynchus (Pocodalemes)</i></b> Reitter, 1912	
<i>Otiorhynchus (Pocodalemes) crataegi</i> Germar, 1824	19
<b><i>Otiorhynchus (Namertanus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Namertanus) pauxillus</i> Rosenhauer, 1847	19
<b><i>Otiorhynchus (Zavodesus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Zavodesus) glabellus</i> Rosenhauer, 1847	19
<b><i>Otiorhynchus (Prodeminus)</i></b> Reitter, 1912	
<i>Otiorhynchus (Prodeminus) maxillosus</i> Gyllenhal, 1834	19
<b><i>Otiorhynchus (Otiomimus)</i></b> Reitter, 1912	

<i>Otiorhynchus (Otiomimus) carceli</i> Gyllenhal, 1843	19
<b><i>Otiorhynchus (Obrasilus)</i> Reitter, 1912</b>	
<i>Otiorhynchus (Obrasilus) corvus</i> Boheman, 1843	19
<i>Otiorhynchus (Obrasilus) obsidianus</i> Boheman, 1843	19
<b><i>Otiorhynchus (Dostacasbus)</i> Reitter, 1912</b>	
<i>Otiorhynchus (Dostacasbus) obesus</i> Stierlin, 1861	19
<b><i>Otiorhynchus (Pendragon)</i> Gozis, 1882</b>	
<i>Otiorhynchus (Pendragon) desertus</i> Rosenhauer, 1847	19
<i>Otiorhynchus (Pendragon) ovatus</i> (Linnaeus, 1758)	19
<b><i>Otiorhynchus (Rhinotournieria)</i> F. Solari, 1947</b>	
<i>Otiorhynchus (Rhinotournieria) oculatus</i> F. Solari, 1947	19
<b><i>Otiorhynchus (Tithonus)</i> Germar, 1824</b>	
<i>Otiorhynchus (Tithonus) chrysocomus</i> Germar, 1824	20
<b><i>Otiorhynchus (Cryphiphorus)</i> Stierlin, 1861</b>	
<i>Otiorhynchus (Cryphiphorus) anthracinus</i> (Scopoli, 1763)	20
<i>Otiorhynchus (Cryphiphorus) ligustici</i> (Linnaeus, 1758)	20
<i>Otiorhynchus (Cryphiphorus) mancinii</i> F. Solari, 1932	20
<i>Otiorhynchus (Cryphiphorus) rugulipennis</i> Costa, 1858	20
<b><i>Otiorhynchus (Cryphiphoroides)</i> Magnano, 1998</b>	
<i>Otiorhynchus (Cryphiphoroides) molytoides</i> Reitter, 1901	20
<i>Otiorhynchus (Cryphiphoroides) tristis</i> (Scopoli, 1763)	20
<b><i>Otiorhynchus (Zadrehus)</i> Reitter, 1912</b>	
<i>Otiorhynchus (Zadrehus) atroapterus</i> (De Geer, 1775)	20
<b><i>Otiorhynchus (Arammichnus)</i> Gozis, 1882</b>	
<i>Otiorhynchus (Arammichnus) aegatensis</i> Magnano, 1992	20
<i>Otiorhynchus (Arammichnus) apulus</i> A. Solari & F. Solari, 1913	20
<i>Otiorhynchus (Arammichnus) cossyrensis</i> Magnano, 1992	20
<i>Otiorhynchus (Arammichnus) cribricollis</i> Gyllenhal, 1834	20
<i>Otiorhynchus (Arammichnus) echidna</i> K. Daniel & J. Daniel, 1898	20
<i>Otiorhynchus (Arammichnus) ferrarii</i> Miller, 1863	20

<i>Otiorhynchus (Arammichnus) flavimanus</i> Stierlin, 1861	20
<i>Otiorhynchus (Arammichnus) hyblaeicus</i> Magnano, 1992	20
<i>Otiorhynchus (Arammichnus) indefinitus</i> Reitter, 1912	20
<i>Otiorhynchus (Arammichnus) italicus</i> Stierlin, 1888	20
<i>Otiorhynchus (Arammichnus) juvenicus</i> Gyllenhal, 1834	20
<i>Otiorhynchus (Arammichnus) lopadusae</i> A. Solari & F. Solari, 1922	20
<i>Otiorhynchus (Arammichnus) matutinus</i> Reitter, 1912	20
<i>Otiorhynchus (Arammichnus) meligunensis</i> Magnano, 1992	20
<i>Otiorhynchus (Arammichnus) neapolitanus</i> Stierlin, 1861	20
<i>Otiorhynchus (Arammichnus) poggii</i> Di Marco, Osella & Zuppa, 2002	20
<i>Otiorhynchus (Arammichnus) reticollis</i> Boheman, 1849	20
<i>Otiorhynchus (Arammichnus) setosulus</i> Stierlin, 1861	20
<i>Otiorhynchus (Arammichnus) tuscoinsularis</i> Magnano, 1992	20
<i>Otiorhynchus (Arammichnus) umbilicatoides</i> Reitter, 1912	20
<i>Otiorhynchus (Arammichnus) velutinus</i> Germar, 1824	20
<i>Otiorhynchus (Arammichnus) villosus</i> Stierlin, 1883	20
<i>Otiorhynchus (Arammichnus) vulturensis</i> Lona, 1931	20
<b><i>Otiorhynchus (Lixorrhynchus)</i></b> Reitter, 1914	
<i>Otiorhynchus (Lixorrhynchus) angelinii</i> Osella, 1983	21
<i>Otiorhynchus (Lixorrhynchus) anophthalmus</i> Schmidt, 1854	21
<i>Otiorhynchus (Lixorrhynchus) augustae</i> Alziar, 1977	21
<i>Otiorhynchus (Lixorrhynchus) avonii</i> Magrini, Bastianini & Abbazzi, 2008	21
<i>Otiorhynchus (Lixorrhynchus) baldensis</i> Czwalina, 1875	21
<i>Otiorhynchus (Lixorrhynchus) bartolozzii</i> Magrini, Meoli & Abbazzi, 2004	21
<i>Otiorhynchus (Lixorrhynchus) blesioi</i> Osella, 1983	21
<i>Otiorhynchus (Lixorrhynchus) brixienensis</i> Osella, 1983	21
<i>Otiorhynchus (Lixorrhynchus) cirocchii</i> Osella & Abbazzi, 1985	21
<i>Otiorhynchus (Lixorrhynchus) doderoi</i> A. Solari & F. Solari, 1903	21
<i>Otiorhynchus (Lixorrhynchus) emanuelae</i> Magrini, Meoli & Abbazzi, 2005	21
<i>Otiorhynchus (Lixorrhynchus) fioronii</i> Magrini, Meoli & Abbazzi, 2004	21
<i>Otiorhynchus (Lixorrhynchus) latirostris</i> Bargagli, 1871	21
<i>Otiorhynchus (Lixorrhynchus) magrinii</i> Osella, 1979	21
<i>Otiorhynchus (Lixorrhynchus) melonii</i> Magrini, Abbazzi, Leo & Fancello, 2002	21
<i>Otiorhynchus (Lixorrhynchus) stolzi</i> Holdhaus, 1908	21
<i>Otiorhynchus (Lixorrhynchus) virginiae</i> Magrini, Abbazzi & Cirocchi, 2002	21
<b><i>Solariola</i></b> Flach, 1908	
<i>Solariola paganettii</i> (Flach, 1905)	21
<i>Solariola vitalei</i> F. Solari, 1923	21
<b><i>Stomodes</i></b> Schönherr, 1826	
<i>Stomodes gyrosicollis</i> (Boheman, 1843)	21
<i>Stomodes puncticollis</i> Tournier, 1864	21
<b><i>Parameira</i></b> Seidlitz, 1868	

<i>Parameira peritelina</i> (Pesarini, 1970)	21
<i>Parameira pisidica</i> Magnano, 2001	21
<b><i>Simo</i> Dejean, 1821</b>	
<i>Simo astragali</i> (Stierlin, 1861)	21
<i>Simo cremieri</i> (Boheman, 1843)	21
<i>Simo grandis</i> (Desbrochers des Loges, 1888)	21
<i>Simo hirticornis</i> (Herbst, 1795)	21
<i>Simo ignoratus</i> (A. Solari & F. Solari, 1922)	21
<i>Simo osellai</i> (Pierotti & Bellò, 2013)	21
<i>Simo schoenherri</i> (Boheman, 1843)	21
<i>Simo variegatus</i> (Boheman, 1843)	21
<b><i>Pseudosimo</i> Pierotti, 1999</b>	
<i>Pseudosimo juniperi</i> (Desbrochers des Loges, 1888)	21
<b><i>Gymnomorphus</i> Seidlitz, 1866</b>	
<i>Gymnomorphus nigrrans</i> (Fairmaire, 1862)	21
<b><i>Ctenochirus</i> Seidlitz, 1890</b>	
<i>Ctenochirus leucogrammus</i> (Germar, 1824)	21
<b><i>Peritelus</i> Germar, 1824</b>	
<i>Peritelus noxius</i> Boheman, 1843	21
<i>Peritelus poutiersi</i> Hoffman, 1945	21
<b><i>Meira</i> Jacquelin du Val, 1852</b>	
<i>Meira diottii</i> Pierotti & Fink, 2013	23
<i>Meira elongatula</i> Fairmaire, 1859	23
<i>Meira etrusca</i> Pierotti, 2012	23
<i>Meira mariaesilvanae</i> Bellò & Baviera, 2014	23
<i>Meira straneoii</i> F. Solari, 1954	23
<i>Meira suturella</i> Fairmaire, 1859	23
<b><i>Dolichomeira</i> F. Solari, 1954</b>	
<i>Dolichomeira amorei</i> (A. Solari & F. Solari, 1905)	23
<i>Dolichomeira arburensis</i> Pierotti & Bellò, 2000	23
<i>Dolichomeira caralitana</i> Pierotti & Bellò, 2000	23
<i>Dolichomeira caroli</i> Pierotti & Bellò, 2000	23
<i>Dolichomeira circumcincta</i> Pierotti & Bellò, 2000	23
<i>Dolichomeira francisci</i> Pierotti & Bellò, 2000	23

<i>Dolichomeira ichnusae</i> Pierotti & Bellò, 2000	23
<i>Dolichomeira jana</i> Pierotti & Bellò, 2000	23
<i>Dolichomeira marci</i> Pierotti & Bellò, 2000	23
<i>Dolichomeira marcosellai</i> Pierotti & Bellò, 2000	23
<i>Dolichomeira melonii</i> Pierotti & Bellò, 2000	23
<i>Dolichomeira microphthalma</i> (Desbrochers des Loges, 1888)	23
<i>Dolichomeira nasuta</i> Péricart, 1963	23
<i>Dolichomeira nuragica</i> Pierotti & Bellò, 2000	23
<i>Dolichomeira occidentalis</i> Pierotti & Bellò, 2000	23
<i>Dolichomeira olearia</i> Pierotti & Bellò, 2000	23
<i>Dolichomeira oppidana</i> Pierotti & Bellò, 2000	23
<i>Dolichomeira plumbariae</i> Pierotti & Bellò, 2000	23
<i>Dolichomeira sassariensis</i> (Desbrochers des Loges, 1888)	23
<i>Dolichomeira scodinai</i> Pierotti & Bellò, 2000	23
<i>Dolichomeira seidlitzii</i> (Desbrochers des Loges, 1888)	23
<b><i>Heteromeira</i></b> F. Solari, 1954	
<i>Heteromeira caprasiae</i> (F. Solari, 1931)	23
<i>Heteromeira laticrobs</i> (Desbrochers des Loges, 1871)	23
<i>Heteromeira neapolitana</i> (Faust, 1890)	23
<i>Heteromeira pacei</i> Bellò & Pierotti, 1992	23
<i>Heteromeira proxima</i> F. Solari, 1954	23
<i>Heteromeira sicula</i> (Desbrochers des Loges, 1892)	23
<i>Heteromeira variegata</i> (A. Solari & F. Solari, 1903)	23
<b><i>Pseudomeira</i></b> Stierlin, 1881	
<i>Pseudomeira abbazzi</i> Pierotti & Forbicioni, 2015	22
<i>Pseudomeira adusticornis</i> (Kiesenwetter, 1852)	22
<i>Pseudomeira aeolica</i> Bellò, Pesarini & Pierotti, 1997	22
<i>Pseudomeira alonsoi</i> Pierotti & Bellò, 1994	22
<i>Pseudomeira andreae</i> (Desbrochers des Loges, 1902)	22
<i>Pseudomeira apula</i> Bellò & Pierotti, 1992	22
<i>Pseudomeira binaghii</i> F. Solari, 1954	22
<i>Pseudomeira clairi</i> Stierlin, 1882	22
<i>Pseudomeira crassirostris</i> F. Solari, 1954	22
<i>Pseudomeira doderoi</i> F. Solari, 1954	22
<i>Pseudomeira echidna</i> (Seidlitz, 1865)	22
<i>Pseudomeira exigua</i> (Stierlin, 1861)	22
<i>Pseudomeira ferdinandi</i> (Sainte-Claire Deville, 1914)	22
<i>Pseudomeira flavipennis</i> (Jacquelin du Val, 1852)	22
<i>Pseudomeira holdhausi</i> (A. Solari & F. Solari, 1907)	22
<i>Pseudomeira incognita</i> Osella & Gregori, 1989	22
<i>Pseudomeira leoi</i> Pierotti & Bellò, 1995	22
<i>Pseudomeira ligurica</i> (A. Solari & F. Solari, 1907)	22
<i>Pseudomeira lostiae</i> (Desbrochers des Loges, 1892)	22
<i>Pseudomeira lucana</i> Bellò & Pierotti, 1992	22
<i>Pseudomeira meles</i> Bellò & Pierotti, 1992	22

<i>Pseudomeira montisalbi</i> Pierotti & Bellò, 1995	22
<i>Pseudomeira obscura</i> (A. Solari & F. Solari, 1907)	22
<i>Pseudomeira obscurella</i> Bellò & Pierotti 1994	22
<i>Pseudomeira paganettii</i> (A. Solari & F. Solari, 1907)	22
<i>Pseudomeira parvula</i> (Seidlitz, 1865)	22
<i>Pseudomeira pfisteri</i> (Stierlin, 1864)	22
<i>Pseudomeira pseudobscura</i> Bellò & Pierotti, 1992	22
<i>Pseudomeira rudis</i> (Boheman, 1843)	22
<i>Pseudomeira rustica</i> (Boheman, 1843)	22
<i>Pseudomeira sardoa</i> (Costa, 1884)	22
<i>Pseudomeira silvestrii</i> (A. Solari & F. Solari, 1907)	22
<i>Pseudomeira solarii</i> (Péricart, 1963)	22
<i>Pseudomeira transversicollis</i> F. Solari, 1954	22
<i>Pseudomeira vitalei</i> (Desbrochers des Loges, 1892)	22
<b><i>Dodomeira</i></b> Bellò & Baviera, 2017	
<i>Dodomeira ibresensis</i> Bellò & Baviera, 2017	22
<i>Dodomeira paladinii</i> Bellò & Baviera, 2017	22
<b><i>Cathomiorcerus</i></b> Schönherr, 1843	
<i>Cathomiorcerus curvipes</i> Wollaston, 1854	24
<i>Cathomiorcerus hircus</i> Desbrochers des Loges, 1896	24
<b><i>Trachyphloeus</i></b> Germar, 1817	
<i>Trachyphloeus alternans</i> Gyllenhal, 1834	24
<i>Trachyphloeus angustisetulus</i> Hansen, 1985	24
<i>Trachyphloeus apuanus</i> A. Solari & F. Solari, 1905	24
<i>Trachyphloeus aristatus</i> (Gyllenhal, 1827)	24
<i>Trachyphloeus asperatus</i> Boheman, 1843	24
<i>Trachyphloeus belloi</i> Borovec & Osella, 1993	24
<i>Trachyphloeus bifoveolatus</i> (Beck, 1817)	24
<i>Trachyphloeus ilvensis</i> Borovec & Osella, 2009	24
<i>Trachyphloeus laticollis</i> Boheman, 1843	24
<i>Trachyphloeus lothari</i> Borovec, 1991	24
<i>Trachyphloeus monspeliensis</i> Hustache, 1932	24
<i>Trachyphloeus nodipennis</i> Chevrolat, 1860	24
<i>Trachyphloeus rectus</i> Thomson, 1865	24
<i>Trachyphloeus scabriculus</i> (Linnaeus, 1771)	24
<i>Trachyphloeus setiger</i> Seidlitz, 1868	24
<i>Trachyphloeus spinimanus</i> Germar, 1824	24
<i>Trachyphloeus spinosus</i> (Goeze, 1777)	24
<b><i>Elytrodon</i></b> Boheman, 1843	
<i>Elytrodon luigionii</i> Desbrochers des Loges, 1899	24

<b><i>Omius</i></b> Germar, 1817	
<i>Omius globulus</i> (Boheman, 1843)	24
<i>Omius nitidulus</i> (Vitale, 1904)	24
<i>Omius rotundatus</i> (Fabricius, 1792)	24
<b><i>Omiamima</i></b> Silfverberg, 1977	
<i>Omiamima heydeni</i> (Tournier, 1884)	24
<b><i>Rhinomias</i></b> Reitter, 1894	
<i>Rhinomias forticornis</i> (Boheman, 1843)	24
<b><i>Argoptochus</i> (<i>Argoptochus</i>)</b> Weise, 1883	
<i>Argoptochus</i> ( <i>Argoptochus</i> ) <i>bisignatus</i> (Germar, 1824)	25
<i>Argoptochus</i> ( <i>Argoptochus</i> ) <i>schwarzi</i> (Reitter, 1888)	25
<b><i>Pseudomyllocerus</i></b> Desbrochers des Loges, 1873	
<i>Pseudomyllocerus cinerascens</i> (Fabricius, 1792)	25
<i>Pseudomyllocerus invreae</i> F. Solari, 1948	25
<i>Pseudomyllocerus neapolitanus</i> (Pic, 1901)	25
<i>Pseudomyllocerus sinuatus</i> (Fabricius, 1801)	25
<b><i>Oedecnemidius</i></b> K. Daniel, 1903	
<i>Oedecnemidius pictus</i> (Steven, 1829)	25
<b><i>Phyllobius</i> (<i>Parnemoicus</i>)</b> Schilsky, 1911	
<i>Phyllobius</i> ( <i>Parnemoicus</i> ) <i>chloropus</i> (Linnaeus, 1758)	26
<i>Phyllobius</i> ( <i>Parnemoicus</i> ) <i>subdentatus</i> Boheman, 1843	26
<b><i>Phyllobius</i> (<i>Phyllobius</i>)</b> Germar, 1824	
<i>Phyllobius</i> ( <i>Phyllobius</i> ) <i>alpinus</i> Stierlin, 1859	25
<i>Phyllobius</i> ( <i>Phyllobius</i> ) <i>arborator</i> (Herbst, 1797)	25
<i>Phyllobius</i> ( <i>Phyllobius</i> ) <i>emeryi</i> Desbrochers des Loges, 1873	25
<i>Phyllobius</i> ( <i>Phyllobius</i> ) <i>etruscus</i> Desbrochers des Loges, 1873	25
<i>Phyllobius</i> ( <i>Phyllobius</i> ) <i>longipilis</i> Boheman, 1843	25
<i>Phyllobius</i> ( <i>Phyllobius</i> ) <i>maculicornis</i> Germar, 1824	25
<i>Phyllobius</i> ( <i>Phyllobius</i> ) <i>pellitus</i> Boheman, 1843	25
<i>Phyllobius</i> ( <i>Phyllobius</i> ) <i>pilipes</i> Desbrochers des Loges, 1873	25
<i>Phyllobius</i> ( <i>Phyllobius</i> ) <i>pyri</i> (Linnaeus, 1758)	25
<i>Phyllobius</i> ( <i>Phyllobius</i> ) <i>romanus</i> Faust, 1890	25
<i>Phyllobius</i> ( <i>Phyllobius</i> ) <i>vespertinus</i> (Fabricius, 1792)	25
<i>Phyllobius</i> ( <i>Phyllobius</i> ) <i>virideaeris</i> (Laicharting, 1781)	25

<b><i>Phyllobius (Metaphyllobius)</i></b> Smirnov, 1913	
<i>Phyllobius (Metaphyllobius) calcaratus</i> (Fabricius, 1792) (N)	26
<i>Phyllobius (Metaphyllobius) urticae</i> (De Geer, 1775)	26
<b><i>Phyllobius (Plagius)</i></b> Desbrochers des Loges, 1873	
<i>Phyllobius (Plagius) pallidus</i> (Fabricius, 1792)	26
<i>Phyllobius (Plagius) quercicola</i> (Apfelbeck, 1916)	26
<b><i>Phyllobius (Nemoicus)</i></b> Stephens, 1831	
<i>Phyllobius (Nemoicus) oblongus</i> (Linnaeus, 1758)	26
<b><i>Phyllobius (Italoscythropus)</i></b> Pesarini, 1980	
<i>Phyllobius (Italoscythropus) raverae</i> A. Solari & F. Solari, 1904	26
<b><i>Phyllobius (Dieletus)</i></b> Reitter, 1916	
<i>Phyllobius (Dieletus) argentatus</i> (Linnaeus, 1758)	25
<b><i>Parascythropus</i></b> Desbrochers des Loges, 1875	
<i>Parascythropus baudii</i> (Stierlin, 1892)	26
<b><i>Polydrusus (Leucodrosus)</i></b> Stierlin, 1884	
<i>Polydrusus (Leucodrosus) sicanus</i> Chevrolat, 1860	26
<i>Polydrusus (Leucodrosus) tibialis</i> Gyllenhal, 1834	26
<b><i>Polydrusus (Metallites)</i></b> Germar, 1824	
<i>Polydrusus (Metallites) atomarius</i> (Olivier, 1807)	26
<i>Polydrusus (Metallites) elegantulus</i> (Boheman, 1840)	26
<i>Polydrusus (Metallites) impar</i> Gozis, 1882	26
<i>Polydrusus (Metallites) inopinatus</i> Binaghi, 1968	27
<i>Polydrusus (Metallites) marginatus</i> Stephens, 1831	26
<i>Polydrusus (Metallites) modestus</i> Stierlin, 1864	26
<i>Polydrusus (Metallites) parallelus</i> Chevrolat, 1860	26
<i>Polydrusus (Metallites) pirazzolii</i> Stierlin, 1857	26
<i>Polydrusus (Metallites) scutellaris</i> Chevrolat, 1860	26
<i>Polydrusus (Metallites) subnotatus</i> Schilsky, 1910	26
<b><i>Polydrusus (Conocetus)</i></b> Desbrochers des Loges, 1902	
<i>Polydrusus (Conocetus) calabricus</i> Faust, 1890	27
<i>Polydrusus (Conocetus) kahri</i> Kirsch, 1865	27



<i>Polydrusus (Conocetus) siculus</i> Desbrochers des Loges, 1879	27
<b><i>Polydrusus (Tylodrusus)</i></b> Stierlin, 1884	
<i>Polydrusus (Tylodrusus) corruscus</i> Germar, 1824	27
<i>Polydrusus (Tylodrusus) flavipes</i> (De Geer, 1775)	27
<i>Polydrusus (Tylodrusus) pterygomalis</i> Boheman, 1840	27
<i>Polydrusus (Tylodrusus) viridicinctus</i> Gyllenhal, 1834	27
<b><i>Polydrusus (Eustolus)</i></b> Thomson, 1859	
<i>Polydrusus (Eustolus) armipes</i> Brullé, 1832	27
<i>Polydrusus (Eustolus) brevicollis</i> Desbrochers des Loges, 1871	27
<i>Polydrusus (Eustolus) cervinus</i> (Linnaeus, 1758)	27
<i>Polydrusus (Eustolus) confluens</i> Stephens, 1831	27
<i>Polydrusus (Eustolus) impressifrons</i> Gyllenhal, 1834	27
<i>Polydrusus (Eustolus) inustus</i> Germar, 1824	27
<i>Polydrusus (Eustolus) pilosus</i> Gredler, 1866	27
<i>Polydrusus (Eustolus) prasinus</i> (Olivier, 1790)	27
<i>Polydrusus (Eustolus) solarii</i> Pesarini, 1974	27
<b><i>Polydrusus (Thomsononymus)</i></b> Desbrochers des Loges, 1902	
<i>Polydrusus (Thomsononymus) amplicollis</i> Desbrochers des Loges, 1902	27
<i>Polydrusus (Thomsononymus) frater</i> Rottenberg, 1871	28
<i>Polydrusus (Thomsononymus) lateralis</i> Gyllenhal, 1834	27
<i>Polydrusus (Thomsononymus) lucianae</i> Francia, 1985	28
<i>Polydrusus (Thomsononymus) neapolitanus</i> Desbrochers des Loges, 1871	27
<i>Polydrusus (Thomsononymus) raveræ</i> A. Solari & F. Solari, 1904	27
<i>Polydrusus (Thomsononymus) sericeus</i> (Schaller, 1873)	28
<b><i>Polydrusus (Chlorodrosus)</i></b> Daniel, 1898	
<i>Polydrusus (Chlorodrosus) abeillei</i> Desbrochers des Loges, 1869	28
<i>Polydrusus (Chlorodrosus) amoenus</i> (Germar, 1824)	28
<i>Polydrusus (Chlorodrosus) bartolii</i> Pesarini, 1975	28
<i>Polydrusus (Chlorodrosus) emmae</i> G. Müller, 1928	28
<b><i>Polydrusus (Piezocnemis)</i></b> Chevrolat, 1869	
<i>Polydrusus (Piezocnemis) paradoxus</i> Stierlin, 1859	28
<i>Polydrusus (Piezocnemis) pedemontanus</i> Chevrolat, 1869	28
<b><i>Polydrusus (Eudipnus)</i></b> Thomson, 1859	
<i>Polydrusus (Eudipnus) auronitens</i> D'Amore, 1906	28
<i>Polydrusus (Eudipnus) mollis</i> (Ström, 1768)	28
<b><i>Polydrusus (Metadrosus)</i></b> Schilsky, 1910	

<i>Polydrusus (Metadrosus) manteroi</i> A. Solari & F. Solari, 1903	28
<b><i>Polydrusus (Polydrusus)</i></b> Germar, 1817	
<i>Polydrusus (Polydrusus) elegans</i> Reitter, 1887	28
<i>Polydrusus (Polydrusus) leucaspis</i> Boheman, 1840	28
<i>Polydrusus (Polydrusus) picus</i> (Fabricius, 1792)	28
<i>Polydrusus (Polydrusus) ruficornis</i> (Bonsdorff, 1785)	28
<i>Polydrusus (Polydrusus) sparsus</i> Gyllenhal, 1834	28
<i>Polydrusus (Polydrusus) transalpinus</i> K. Daniel & J. Daniel, 1906	28
<i>Polydrusus (Polydrusus) undatus</i> (Fabricius, 1781)	28
<b><i>Pachyrhinus</i></b> Schönherr, 1823	
<i>Pachyrhinus mustela</i> (Herbst, 1797)	28
<b><i>Liophloeus</i></b> Germar, 1817	
<i>Liophloeus lentus</i> Germar, 1824	28
<i>Liophloeus ophthalmicus</i> Stierlin, 1869	28
<i>Liophloeus tessulatus</i> (Müller, 1776)	28
<b><i>Barypeithes</i></b> Jacquelin du Val, 1855	
<i>Barypeithes araneiformis</i> (Schrank, 1781)	29
<i>Barypeithes chevrolati</i> (Boheman, 1843)	29
<i>Barypeithes gracilipes</i> (Panzer, 1798)	29
<i>Barypeithes maritimus</i> Formanek, 1904	29
<i>Barypeithes metallicus</i> Stierlin, 1868	29
<i>Barypeithes mollicomus</i> (Ahrens, 1812)	29
<i>Barypeithes pellucidus</i> (Boheman, 1834)	29
<i>Barypeithes virguncula</i> Seidlitz, 1868	29
<b><i>Chiloneus (Chiloneus)</i></b> Schönherr, 1843	
<i>Chiloneus (Chiloneus) hoffmanni</i> Gonzalez, 1970	29
<i>Chiloneus (Chiloneus) meridionalis</i> (Boheman, 1838)	29
<b><i>Chilonorrhinus</i></b> Reitter, 1915	
<i>Chilonorrhinus aliquoi</i> Pesarini, 1974	29
<b><i>Eusomus</i></b> Germar, 1824	
<i>Eusomus ovulum</i> Germar, 1824	29
<b><i>Sciaphilus</i></b> Schönherr, 1823	

<i>Sciaphilus asperatus</i> (Bonsdorff, 1785)	29
<b><i>Brachyderes (Brachyderes)</i></b> Schönherr, 1826	
<i>Brachyderes (Brachyderes) grisescens</i> (Fairmaire, 1862)	30
<i>Brachyderes (Brachyderes) incanus</i> (Linnaeus, 1758)	30
<i>Brachyderes (Brachyderes) pubescens</i> Boheman, 1833	30
<b><i>Brachyderes (Sulciurus)</i></b> Flach, 1907	
<i>Brachyderes (Sulciurus) lusitanicus</i> (Fabricius, 1781)	30
<b><i>Brachysomus</i></b> Schönherr, 1826	
<i>Brachysomus echinatus</i> (Bonsdorff, 1785)	29
<i>Brachysomus hirtus</i> Boheman, 1845	29
<i>Brachysomus setiger</i> Gyllenhal, 1840	29
<b><i>Sciaphilomorphus</i></b> F. Solari, 1948	
<i>Sciaphilomorphus aurosus</i> (Boheman, 1845)	29
<b><i>Pseudometallites</i></b> D'Amore, 1907	
<i>Pseudometallites doderoi</i> D'Amore, 1907	29
<b><i>Sciaphobus</i></b> K. Daniel, 1904	
<i>Sciaphobus abbreviatus</i> (Desbrochers des Loges, 1871)	29
<i>Sciaphobus scitulus</i> (Germar, 1824)	29
<i>Sciaphobus setosulus</i> (Germar, 1824)	29
<b><i>Stasiodis</i></b> Gozis, 1886	
<i>Stasiodis parvulus</i> (Fabricius, 1792)	29
<b><i>Caulostrophus (Caulostrophus)</i></b> Fairmaire, 1859	
<i>Caulostrophus (Caulostrophus) caesipes</i> A. Solari & F. Solari, 1905	30
<i>Caulostrophus (Caulostrophus) subsulcatus</i> (Boheman, 1833)	30
<i>Caulostrophus (Caulostrophus) zancleanus</i> Pesarini & Baviera, 2006	30
<b><i>Strophosoma (Strophosoma)</i></b> Billberg, 1820	
<i>Strophosoma (Strophosoma) capitatum</i> (De Geer, 1775)	30
<i>Strophosoma (Strophosoma) erinaceum</i> Chevrolat, 1865	30
<i>Strophosoma (Strophosoma) melanogrammum</i> (Forster, 1771)	30
<b><i>Strophosoma (Neliocarus)</i></b> Thomson, 1859	

<i>Strophosoma (Neliocarus) faber</i> (Herbst, 1785)	30
<i>Strophosoma (Neliocarus) lateralis</i> (Paykull, 1792)	30
<b><i>Strophomorphus</i></b> Seidlitz, 1867	
<i>Strophomorphus porcellus</i> (Schönherr, 1832)	30
<b><i>Parafoucartia</i></b> F. Solari, 1948	
<i>Parafoucartia squamulata</i> (Herbst, 1795)	30
<b><i>Philopedon</i></b> Stephens, 1831	
<i>Philopedon plagiatum</i> (Schaller, 1783)	31
<b><i>Leptolepurus</i></b> Desbrochers des Loges, 1872	
<i>Leptolepurus meridionalis</i> (Jacquelin du Val, 1854)	31
<b><i>Pantomorus</i></b> Schönherr, 1839	
<i>Pantomorus cervinus</i> Boheman, 1840	31
<b><i>Mesagroicus</i></b> Schönherr, 1839	
<i>Mesagroicus amicalis</i> Magnano, Osella & Abbazzi, 2008	31
<b><i>Barynotus</i></b> Germar, 1817	
<i>Barynotus balianii</i> F. Solari, 1943	31
<i>Barynotus conjux</i> Daniel, 1898	31
<i>Barynotus fairmairei</i> Tournier, 1876	31
<i>Barynotus liguricus</i> F. Solari, 1943	31
<i>Barynotus maculatus</i> Boheman, 1842	31
<i>Barynotus mainardii</i> F. Solari, 1943	31
<i>Barynotus margaritaceus</i> Germar, 1824	31
<i>Barynotus obscurus</i> (Fabricius, 1775)	31
<i>Barynotus solarii</i> Mainardi, 1907	31
<i>Barynotus squamosus</i> Germar, 1824	31
<b><i>Sitona (Charagmus)</i></b> Schönherr, 1826	
<i>Sitona (Charagmus) cachectus</i> (Gyllenhal, 1834)	31
<i>Sitona (Charagmus) gressorius</i> (Fabricius, 1792)	31
<i>Sitona (Charagmus) griseus</i> (Fabricius, 1775)	31
<i>Sitona (Charagmus) intermedius</i> (Küster, 1847)	31
<i>Sitona (Charagmus) variegatus</i> (Fåhraeus, 1840)	31

<b><i>Sitona (Sitona)</i></b> Germar, 1817	
<i>Sitona (Sitona) ambiguus</i> Gyllenhal, 1834	32
<i>Sitona (Sitona) cambricus</i> Stephens, 1831	31
<i>Sitona (Sitona) cinerascens</i> (Fåhraeus, 1840)	31
<i>Sitona (Sitona) cinnamomeus</i> (Allard, 1863)	32
<i>Sitona (Sitona) cylindricollis</i> (Fåhraeus, 1840)	32
<i>Sitona (Sitona) discoideus</i> (Gyllenhal, 1834)	32
<i>Sitona (Sitona) gemellatus</i> (Gyllenhal, 1834)	32
<i>Sitona (Sitona) goetzelmanni</i> A. Solari & F. Solari, 1909	32
<i>Sitona (Sitona) hirsutus</i> Desbrochers des Loges, 1884	32
<i>Sitona (Sitona) hispidulus</i> (Fabricius, 1777)	32
<i>Sitona (Sitona) humeralis</i> Stephens, 1831	32
<i>Sitona (Sitona) inops</i> (Gyllenhal, 1832)	32
<i>Sitona (Sitona) languidus</i> (Gyllenhal, 1834)	32
<i>Sitona (Sitona) lepidus</i> (Gyllenhal, 1834)	32
<i>Sitona (Sitona) limosus</i> (Rossi, 1792)	31
<i>Sitona (Sitona) lineatus</i> (Linnaeus, 1758)	32
<i>Sitona (Sitona) lineellus</i> (Bosdorff, 1785)	32
<i>Sitona (Sitona) lividipes</i> (Fåhraeus, 1840)	32
<i>Sitona (Sitona) longulus</i> (Gyllenhal, 1834)	32
<i>Sitona (Sitona) macularius</i> (Marsham, 1802)	32
<i>Sitona (Sitona) ocellatus</i> Küster, 1849	31
<i>Sitona (Sitona) ophthalmicus</i> Desbrochers des Loges, 1869	32
<i>Sitona (Sitona) puberulus</i> Reitter, 1903	31
<i>Sitona (Sitona) puncticollis</i> Stephens, 1831	32
<i>Sitona (Sitona) ragusae</i> Reitter, 1903	32
<i>Sitona (Sitona) regensteinensis</i> (Herbst, 1797)	31
<i>Sitona (Sitona) sekerae</i> Reitter, 1903	32
<i>Sitona (Sitona) striatellus</i> (Gyllenhal, 1834)	31
<i>Sitona (Sitona) sulcifrons</i> (Thunberg, 1798)	32
<i>Sitona (Sitona) suturalis</i> Stephens, 1831	32
<i>Sitona (Sitona) tenuis</i> (Rosenhauer, 1847)	32
<i>Sitona (Sitona) verecundus</i> (Rossi, 1790)	32
<i>Sitona (Sitona) virgatus</i> (Fåhraeus, 1840)	32
<i>Sitona (Sitona) waterhousei</i> (Walton, 1846)	32
<b><i>Psalidium</i></b> Illiger, 1807	
<i>Psalidium maxillosum</i> (Fabricius, 1792)	33
<b><i>Tropiphorus</i></b> Schönherr, 1842	
<i>Tropiphorus bertolinii</i> Stierlin, 1894	33
<i>Tropiphorus carinatus</i> (Mueller, 1776)	33
<i>Tropiphorus cucullatus</i> Fauvel, 1888	33
<i>Tropiphorus imperator</i> Pesarini, 1995	33
<i>Tropiphorus obtusus</i> (Bosdorff, 1785)	33
<i>Tropiphorus ochraceosignatus</i> Boheman, 1842	33

<i>Tropiphorus tomentosum</i> (Marsham, 1802)	33
<b><i>Cycloderes</i></b> Sahlberg, 1823	
<i>Cycloderes argenteus</i> (Perris, 1866)	33
<i>Cycloderes beloni</i> (Desbrochers des Loges, 1871)	33
<i>Cycloderes canescens</i> (Rossi, 1792)	33
<i>Cycloderes congener</i> (Desbrochers des Loges, 1871)	33
<i>Cycloderes lostiae</i> (Desbrochers des Loges, 1894)	33
<i>Cycloderes pilosus</i> (Fabricius, 1792)	33
<i>Cycloderes pomini</i> F. Solari, 1953	33
<b><i>Chlorophanus</i></b> Sahlberg, 1823	
<i>Chlorophanus excisus</i> (Fabricius, 1801)	33
<i>Chlorophanus gibbosus</i> (Paykull, 1792)	33
<i>Chlorophanus graminicola</i> Schönherr, 1832	33
<i>Chlorophanus viridis</i> (Linnaeus, 1758)	33
<b><i>Tanymecus (Tanymecus)</i></b> Germar, 1823	
<i>Tanymecus (Tanymecus) crasicornis</i> Solari, 1904	33
<i>Tanymecus (Tanymecus) palliatus</i> (Fabricius, 1787)	33
<b><i>Tanymecus (Geomecus)</i></b> Reitter, 1903	
<i>Tanymecus (Geomecus) submaculatus</i> Chevrolat, 1860	33
<b><i>Gonipterus</i></b> Schönherr, 1833	
<i>Gonipterus scutellatus</i> Gyllenhal, 1833	33
<b><i>Metacinops</i></b> Kraatz, 1862	
<i>Metacinops calabrus</i> Stierlin, 1862	33
<b><i>Myorrhinus</i></b> Schoenherr, 1826	
<i>Myorrhinus albolineatus</i> (Gyllenhal, 1826)	33
<b><i>Auchmerestes</i></b> Kraatz, 1862	
<i>Auchmerestes kiesenwetteri</i> Kraatz, 1862	33
<b><i>Haptomerus</i></b> Faust, 1889	
<i>Haptomerus lepidus</i> (Brullé, 1833)	33
<b><i>Conorhynchus</i></b> Motschulsky, 1860	

<i>Conorhynchus luigionii</i> A. Solari & F. Solari, 1905	34
<b><i>Temnorhinus</i></b> Chevrolat, 1873	
<i>Temnorhinus brevirostris</i> (Gyllenhal, 1834)	34
<i>Temnorhinus mendicus</i> (Gyllenhal, 1834)	34
<b><i>Stephanocleonus</i></b> Motschulsky, 1860	
<i>Stephanocleonus excoriatus</i> (Gyllenhal, 1834)	34
<i>Stephanocleonus hollbergi</i> (Fåhraeus, 1842) (= <i>glaucus</i> = <i>turbatus</i> )	34
<i>Stephanocleonus nebulosus</i> (Linnaeus, 1758)	34
<i>Stephanocleonus nigrosuturatus</i> (Goeze, 1777)	34
<i>Stephanocleonus pseudobliquus</i> (G. Müller, 1921)	34
<i>Stephanocleonus tabidus</i> (Olivier, 1807)	34
<b><i>Bothynoderes</i></b> Schönherr, 1826	
<i>Bothynoderes albicans</i> Gyllenhal, 1834	34
<i>Bothynoderes andreae</i> Colonnelli, 1991	34
<i>Bothynoderes crotchi</i> Chevrolat, 1873	34
<i>Bothynoderes punctiventris</i> (Germar, 1824)	34
<b><i>Chromoderus</i></b> Motschulsky, 1860	
<i>Chromoderus affinis</i> (Schrank, 1781)	34
<b><i>Leucosomus</i></b> Motschulsky, 1860	
<i>Leucosomus occidentalis</i> Dieckmann, 1982	34
<i>Leucosomus pedestris</i> (Poda, 1761)	34
<b><i>Mecaspis</i></b> Schönherr, 1826	
<i>Mecaspis alternans</i> (Herbst, 1795)	34
<i>Mecaspis emarginatus</i> (Fabricius, 1787)	34
<i>Mecaspis nanus</i> Gyllenhal, 1834	34
<i>Mecaspis striatellus</i> (Fabricius, 1792)	34
<b><i>Liocleonus</i></b> Motschulsky, 1860	
<i>Liocleonus clathratus</i> (Olivier, 1807)	34
<b><i>Pseudocleonus</i></b> Chevrolat, 1873	
<i>Pseudocleonus cinereus</i> (Schrank, 1781)	34
<i>Pseudocleonus grammicus</i> (Panzer, 1789)	34
<i>Pseudocleonus italicus</i> F. Solari, 1950	34

<i>Pseudocleonus senilis</i> (Rosenhauer, 1856)	34
<b><i>Pachycerus</i></b> Schönherr, 1826	
<i>Pachycerus cordiger</i> (Germar, 1819)	35
<i>Pachycerus madidus</i> (Olivier, 1807)	35
<i>Pachycerus planirostris</i> (Gyllenhal, 1834)	35
<b><i>Rabdorrhynchus</i></b> Motschulsky, 1860	
<i>Rabdorrhynchus menetriesi</i> (Gyllenhal, 1834)	35
<i>Rabdorrhynchus varius</i> (Herbst, 1795)	35
<b><i>Cyphocleonus</i></b> Motschulsky, 1860	
<i>Cyphocleonus achates</i> (Fåhraeus, 1842)	35
<i>Cyphocleonus dealbatus</i> (Gmelin, 1790) (= <i>tigrinus</i> Fourcroy, 1785)	35
<i>Cyphocleonus morbillosus</i> (Fabricius, 1792)	35
<i>Cyphocleonus trisulcatus</i> (Herbst, 1795)	35
<b><i>Cleonis</i></b> Dejean, 1821	
<i>Cleonis pigra</i> (Scopoli, 1763)	35
<i>Cleonis sardoa</i> Chevrolat, 1869	35
<b><i>Lixomorphus</i></b> Faust, 1904	
<i>Lixomorphus algirus</i> (Linnaeus, 1758)	35
<b><i>Trachydemus</i></b> Chevrolat, 1873	
<i>Trachydemus rugosus</i> (Lucas, 1849)	34
<b><i>Lixus</i> (<i>Lixus</i>)</b> Fabricius, 1801	
<i>Lixus</i> ( <i>Lixus</i> ) <i>paraplecticus</i> (Linnaeus, 1758)	37
<b><i>Lixus</i> (<i>Eulixus</i>)</b> Reitter, 1916	
<i>Lixus</i> ( <i>Eulixus</i> ) <i>brevipes</i> C. Brisout, 1866	37
<i>Lixus</i> ( <i>Eulixus</i> ) <i>lateralis</i> (Panzer, 1793)	37
<i>Lixus</i> ( <i>Eulixus</i> ) <i>myagri</i> Olivier, 1807	37
<i>Lixus</i> ( <i>Eulixus</i> ) <i>scabricollis</i> Boheman, 1843	37
<i>Lixus</i> ( <i>Eulixus</i> ) <i>subtilis</i> Boheman, 1836	37
<b><i>Lixus</i> (<i>Ortholixus</i>)</b> Reitter, 1916	
<i>Lixus</i> ( <i>Ortholixus</i> ) <i>acicularis</i> Germar, 1824	37
<i>Lixus</i> ( <i>Ortholixus</i> ) <i>angustus</i> (Herbst, 1795)	37



<i>Lixus (Ortholixus) curvirostris</i> Capiomont, 1874	37
<i>Lixus (Ortholixus) elegantulus</i> Boheman, 1843	37
<i>Lixus (Ortholixus) mucronatus</i> Olivier, 1807	37
<i>Lixus (Ortholixus) tibialis</i> Boheman, 1843	37
<b><i>Lixus (Compsolixus)</i> Reitter, 1916</b>	
<i>Lixus (Compsolixus) albomarginatus</i> Boheman, 1843	38
<i>Lixus (Compsolixus) anguinus</i> (Linnaeus, 1767)	38
<i>Lixus (Compsolixus) ascanii</i> (Linnaeus, 1767)	38
<i>Lixus (Compsolixus) junci</i> Boheman, 1836	38
<i>Lixus (Compsolixus) ochraceus</i> Boheman, 1843	38
<b><i>Lixus (Callistolixus)</i> Reitter, 1916</b>	
<i>Lixus (Callistolixus) cylindrus</i> (Fabricius, 1781)	37
<i>Lixus (Callistolixus) furcatus</i> Olivier, 1807	37
<i>Lixus (Callistolixus) tschemkenticus</i> Faust, 1883	37
<b><i>Lixus (Lixoglyptus)</i> Reitter, 1916</b>	
<i>Lixus (Lixoglyptus) spartii</i> Olivier, 1807	37
<b><i>Lixus (Dilixellus)</i> Reitter, 1916</b>	
<i>Lixus (Dilixellus) bardanae</i> (Fabricius, 1787)	38
<i>Lixus (Dilixellus) cribricollis</i> Boheman, 1836	38
<i>Lixus (Dilixellus) fasciculatus</i> Boheman, 1836	38
<i>Lixus (Dilixellus) pulverulentus</i> (Scopoli, 1763)	38
<i>Lixus (Dilixellus) punctiventris</i> Boheman, 1836	38
<i>Lixus (Dilixellus) rubicundus</i> Zoubkoff, 1833	38
<i>Lixus (Dilixellus) vilis</i> (Rossi, 1790)	38
<b><i>Lixus (Lixochelus)</i> Reitter, 1924</b>	
<i>Lixus (Lixochelus) cardui</i> (Olivier, 1808)	38
<i>Lixus (Lixochelus) filiformis</i> (Fabricius, 1781)	38
<i>Lixus (Lixochelus) scolopax</i> Boheman, 1836	38
<i>Lixus (Lixochelus) ulcerosus</i> Petri, 1904	38
<b><i>Lixus (Hypolixus)</i> Desbrochers des Loges, 1898</b>	
<i>Lixus (Hypolixus) augurius</i> Boheman, 1836	37
<b><i>Larinus (Larinus)</i> Germar, 1824</b>	
<i>Larinus (Larinus) brevis</i> (Herbst, 1795)	36
<i>Larinus (Larinus) buccinator</i> (Olivier, 1807)	36
<i>Larinus (Larinus) carinirostris</i> Gyllenhal, 1836	36

<i>Larinus (Larinus) cynarae</i> (Fabricius, 1787)	36
<i>Larinus (Larinus) genei</i> Boheman, 1907	36
<i>Larinus (Larinus) latus</i> Herbst, 1783	36
<i>Larinus (Larinus) maurus</i> (Olivier, 1808)	36
<i>Larinus (Larinus) onopordi</i> (Fabricius, 1787)	36
<i>Larinus (Larinus) ursus</i> (Fabricius, 1792)	36
<i>Larinus (Larinus) vulpes</i> (Olivier, 1808)	36
<b><i>Larinus (Larinodontes)</i></b> Faust, 1898	
<i>Larinus (Larinodontes) albocinctus</i> Chevrolat, 1866	36
<i>Larinus (Larinodontes) carlinae</i> Schoenherr, 1825	36
<i>Larinus (Larinodontes) griseus</i> Gyllenhal, 1836	36
<i>Larinus (Larinodontes) jaceae</i> (Fabricius, 1775)	36
<i>Larinus (Larinodontes) longirostris</i> Gyllenhal, 1836	36
<i>Larinus (Larinodontes) rusticanus</i> Gyllenhal, 1836	36
<i>Larinus (Larinodontes) sturnus</i> (Schaller, 1783)	36
<i>Larinus (Larinodontes) turbinatus</i> Gyllenhal, 1836	36
<b><i>Larinus (Larinomesius)</i></b> Reitter, 1924	
<i>Larinus (Larinomesius) curtus</i> Hochhut, 1851	37
<i>Larinus (Larinomesius) flavescens</i> Germar, 1824	36
<i>Larinus (Larinomesius) obtusus</i> Gyllenhal, 1836	37
<i>Larinus (Larinomesius) scolymi</i> (Olivier, 1808)	36
<b><i>Lachnaeus</i></b> Schönherr, 1826	
<i>Lachnaeus crinitus</i> Boheman, 1836	35
<b><i>Bangasternus</i></b> Gozis, 1886	
<i>Bangasternus orientalis</i> (Capiomont, 1873)	35
<i>Bangasternus provincialis</i> (Fairmaire, 1863)	35
<i>Bangasternus siculus</i> (Capiomont, 1873)	35
<b><i>Rhinocyllus</i></b> Germar, 1819	
<i>Rhinocyllus conicus</i> (Frölich, 1792)	35
<b><i>Microlarinus</i></b> Hochhut, 1847	
<i>Microlarinus lareynii</i> (Jacquelin du Val, 1852)	35
<b><i>Pseudorhinus</i></b> Melichar, 1923	
<i>Pseudorhinus dilatatus</i> (Fabricius, 1801) (= <i>Eremiarhinus dilatatus</i> )	41
<i>Pseudorhinus impressicollis</i> (Boheman, 1834)	41
<i>Pseudorhinus laesirostris</i> (Fairmaire, 1859)	41

<b><i>Pararhytirhinus</i></b> Solari, 1940	
<i>Pararhytirhinus margaritae</i> Osella, 1973 (= <i>Entomoderus margaritae</i> )	41
<b><i>Rhytirhinus</i></b> Schoenherr, 1833	
<i>Rhytirhinus elongatus</i> Peyerimhoff, 1920	41
<b><i>Gronops</i></b> Schönherr, 1826	
<i>Gronops lunatus</i> (Fabricius, 1775)	41
<b><i>Dichotrachelus</i></b> Stierlin, 1853	
<i>Dichotrachelus alpestris</i> Stierlin, 1878	41
<i>Dichotrachelus augusti</i> F. Solari, 1946	41
<i>Dichotrachelus baudii</i> (Seidlitz, 1875)	41
<i>Dichotrachelus bischoffi</i> Stierlin, 1878	41
<i>Dichotrachelus imhoffi</i> Stierlin, 1857	41
<i>Dichotrachelus lepontinus</i> Osella, 1971	41
<i>Dichotrachelus manuely</i> Marseul, 1871	41
<i>Dichotrachelus margaritae</i> Osella, 1967	41
<i>Dichotrachelus meregallii</i> Osella, 1971	41
<i>Dichotrachelus pygmaeus</i> Stierlin, 1888	41
<i>Dichotrachelus rossettoi</i> Meregalli & Osella, 1975	41
<i>Dichotrachelus rudeni</i> Stierlin, 1853	41
<i>Dichotrachelus stierlini</i> Gredler, 1856	41
<i>Dichotrachelus sulcipennis</i> Stierlin, 1853	41
<i>Dichotrachelus variegatus</i> K. Daniel & J. Daniel, 1898	41
<i>Dichotrachelus vulpinus</i> Gredler, 1857	41
<i>Dichotrachelus walteri</i> Barajon, 1947	41
<b><i>Hypera</i></b> Germar, 1821	
<i>Hypera arator</i> (Linnaeus, 1758)	39
<i>Hypera constans</i> (Boheman, 1834)	39
<i>Hypera conmaculata</i> (Herbst, 1795)	39
<i>Hypera contaminata</i> (Herbst, 1795)	39
<i>Hypera dauci</i> (Olivier, 1807)	39
<i>Hypera diversipunctata</i> (Schrank, 1798)	39
<i>Hypera grandini</i> (Capiomont, 1861)	39
<i>Hypera jucunda</i> (Capiomont, 1868)	39
<i>Hypera lunata</i> Wollaston, 1854	39
<i>Hypera maculipennis</i> (Fairmaire, 1859)	39
<i>Hypera melancholica</i> (Fabricius, 1792)	39
<i>Hypera meles</i> (Fabricius, 1792)	39
<i>Hypera miles</i> (Paykull, 1792)	39
<i>Hypera nigrirostris</i> (Fabricius, 1775)	39

<i>Hypera pastinacae</i> (Rossi, 1790)	39
<i>Hypera plantaginis</i> (De Geer, 1775)	39
<i>Hypera postica</i> (Gyllenhal, 1813)	39
<i>Hypera rumicis</i> (Linnaeus, 1758)	39
<i>Hypera scolymi</i> (Capiomont, 1868)	39
<i>Hypera striata</i> (Boheman, 1834)	39
<i>Hypera trilineata</i> (Marsham, 1802)	39
<i>Hypera venusta</i> (Fabricius, 1781)	39
<i>Hypera viciae</i> (Gyllenhal, 1813)	39
<i>Hypera vidua</i> (Gené, 1837)	39
<i>Hypera zoilus</i> (Scopoli, 1763)	39
<b>Donus</b> Jekel, 1864	
<i>Donus brucki</i> (Capiomont, 1868)	40
<i>Donus cyrtus</i> Germar, 1821	40
<i>Donus comatus</i> (Boheman, 1842)	40
<i>Donus crinitus</i> (Boheman, 1834)	40
<i>Donus fiumanus</i> (Petri, 1901)	40
<i>Donus globosus</i> (Fairmaire, 1858)	40
<i>Donus intermedius</i> (Boheman, 1842)	40
<i>Donus oblongus</i> (Boheman, 1840)	40
<i>Donus ovalis</i> (Boheman, 1842)	40
<i>Donus oxalidis</i> (Herbst, 1795)	40
<i>Donus palumbarius</i> (Germar, 1821)	40
<i>Donus marmottani</i> (Capiomont, 1868)	40
<i>Donus perplexus</i> (Capiomont, 1868)	40
<i>Donus philanthus</i> (Olivier, 1808)	40
<i>Donus salviae</i> (Schrank, 1790)	40
<b>Limobius</b> Schönherr, 1847	
<i>Limobius borealis</i> (Paykull, 1792)	40
<b>Coniatus (Coniatus)</b> Germar, 1821	
<i>Coniatus (Coniatus) repandus</i> (Fabricius, 1792)	40
<i>Coniatus (Coniatus) tamarisci</i> (Fabricius, 1787)	40
<b>Coniatus (Bagoides)</b> Capiomont, 1868	
<i>Coniatus (Bagoides) suavis</i> Gyllenhal, 1834	40
<b>Rhytideres</b> Schönherr, 1826	
<i>Rhytideres plicatus</i> (Olivier, 1790)	40
<b>Alophus</b> Schönherr, 1826	

<i>Alophus austriacus</i> Otto, 1894	40
<i>Alophus kaufmanni</i> Stierlin, 1884	40
<i>Alophus nictitans</i> Boheman, 1842	40
<i>Alophus vau</i> Schrank, 1781	40
<i>Alophus weberi</i> Penecke, 1901	40
<b>Lepyrus</b> Germar, 1817	
<i>Lepyrus armatus</i> Weise, 1893	42
<i>Lepyrus capucinus</i> (Schaller, 1783)	42
<i>Lepyrus palustris</i> (Scopoli, 1763)	42
<i>Lepyrus variegatus</i> Schmidt, 1850	42
<b>Hylobitelus</b> Reitter, 1923	
<i>Hylobitelus abietis</i> (Linnaeus, 1758)	43
<i>Hylobitelus pinastris</i> (Gyllenhal, 1813)	43
<i>Hylobitelus transversovittatus</i> (Goeze, 1777) (= <i>fatuus</i> Rossi, 1790)	43
<b>Hylobius</b> Germar, 1817	
<i>Hylobius piceus</i> (De Geer, 1775)	43
<b>Aclees</b> Schoenherr, 1835	
<i>Aclees cribratus</i> Gyllenhal, 1835	43
<b>Liparus (Liparus)</b> Olivier, 1807	
<i>Liparus (Liparus) baldensis</i> Reitter, 1896	43
<i>Liparus (Liparus) dirus</i> (Herbst, 1795)	43
<i>Liparus (Liparus) engadinensis</i> Reitter, 1897	43
<i>Liparus (Liparus) grappensis</i> Grandi, 1907	43
<i>Liparus (Liparus) mariae</i> Grandi, 1907	43
<b>Anisorhynchus</b> Schönherr, 1842	
<i>Anisorhynchus barbarus</i> Boheman, 1834	43
<i>Anisorhynchus barbatus</i> (Rossi, 1792)	43
<i>Anisorhynchus costatus</i> Boheman, 1842	43
<i>Anisorhynchus monachus</i> (Germar, 1817)	43
<b>Leiosoma</b> Stephens, 1831	
<i>Leiosoma baudii</i> Bedel, 1884	42
<i>Leiosoma colonnellii</i> Pedroni, 2012	42
<i>Leiosoma concinnum</i> Boheman, 1842	42
<i>Leiosoma cribrum</i> (Gyllenhal, 1834)	42
<i>Leiosoma dardagnensis</i> Pedroni, 2012	42

<i>Leiosoma deflexum</i> (Panzer, 1795)	42
<i>Leiosoma fiscellense</i> Pedroni, 2012	42
<i>Leiosoma hernicii</i> Pedroni, 2012	42
<i>Leiosoma kirschi</i> Gredler, 1866	42
<i>Leiosoma oblongulum</i> Boheman, 1842	42
<i>Leiosoma scrobiferum</i> Rottenberg, 1871	42
<i>Leiosoma subcoriaceum</i> K. Daniel, 1906	42
<i>Leiosoma talamellii</i> Pedroni, 2012	42
<b><i>Plinthus</i></b> Germar, 1817	
<i>Plinthus findeli</i> Boheman, 1842	42
<i>Plinthus griseus</i> (Reitter, 1890)	42
<i>Plinthus megerlei</i> (Panzer, 1794)	42
<i>Plinthus squalidus</i> Gyllenhal, 1834	42
<b><i>Neoplinthus</i></b> Bedel, 1884	
<i>Neoplinthus caprae</i> F. Solari, 1941	42
<i>Neoplinthus dentimanus</i> F. Solari, 1941	42
<i>Neoplinthus tigratus</i> (Rossi, 1792)	42
<b><i>Mitoplinthus</i></b> Reitter, 1897	
<i>Mitoplinthus caliginosus</i> (Fabricius, 1775)	42
<i>Mitoplinthus pubescens</i> (Petri, 1796)	42
<b><i>Hoplopteridius</i></b> Daniel, 1898	
<i>Hoplopteridius lutosus</i> (E. Frivaldszky, 1835)	42
<b><i>Minyops</i></b> Schönherr, 1826	
<i>Minyops carinatus</i> (Linnaeus, 1767)	42
<i>Minyops scrobiculatus</i> Gyllenhal, 1834	42
<i>Minyops variolosus</i> (Fabricius, 1775)	42
<b><i>Aparopion</i></b> Bedel, 1884	
<i>Aparopion costatum</i> (Fåhraeus, 1843)	41
<i>Aparopion suturidens</i> Reitter, 1891	41
<b><i>Adexius</i></b> Schönherr, 1834	
<i>Adexius scrobipennis</i> Gyllenhal, 1834	41
<b><i>Styphloderes</i></b> Wollaston, 1873	
<i>Styphloderes exsculptus</i> (Boheman, 1843)	41

<b><i>Echinomorphus</i></b> Fauvel, 1889	
<i>Echinomorphus ravouxi</i> (Jacquet, 1888)	41
<b><i>Microcopes</i></b> Faust, 1886	
<i>Microcopes hircanius</i> Osella, 1986	41
<b><i>Cotaster</i></b> Motschulsky, 1851	
<i>Cotaster cuneipennis</i> (Aubé, 1850)	41
<i>Cotaster kostali</i> Diotti, Pesarini & Caldara, 2015	41
<i>Cotaster uncipes</i> (Boheman, 1838)	41
<b><i>Pissodes</i></b> Germar, 1817	
<i>Pissodes harcyniae</i> (Herbst, 1795)	44
<i>Pissodes castaneus</i> (Degeer, 1775)	44
<i>Pissodes piceae</i> (Illiger, 1807)	44
<i>Pissodes pini</i> (Linnaeus, 1758)	44
<i>Pissodes piniphilus</i> (Herbst, 1795)	44
<i>Pissodes validirostris</i> (Sahlberg, 1834)	44
<b><i>Magdalis (Edo)</i></b> Germar, 1819	
<i>Magdalis (Edo) nitidipennis</i> (Boheman, 1843)	44
<i>Magdalis (Edo) ruficornis</i> (Linnaeus, 1758)	44
<b><i>Magdalis (Panopsis)</i></b> K. Daniel, 1903	
<i>Magdalis (Panopsis) flavicornis</i> (Gyllenhal, 1836)	44
<i>Magdalis (Panopsis) fuscicornis</i> Desbrochers des Loges, 1870	44
<i>Magdalis (Panopsis) stricta</i> Desbrochers des Loges, 1905	44
<b><i>Magdalis (Panus)</i></b> Seidlitz, 1891	
<i>Magdalis (Panus) barbicornis</i> (Latreille, 1804)	44
<b><i>Magdalis (Neopanus)</i></b> Reitter, 1916	
<i>Magdalis (Neopanus) cerasi</i> (Linnaeus, 1758)	44
<i>Magdalis (Neopanus) exarata</i> H. Brisout, 1862	44
<b><i>Magdalis (Magdalinus)</i></b> K. Daniel, 1903	
<i>Magdalis (Magdalinus) armigera</i> (Fourcroy, 1785)	44
<i>Magdalis (Magdalinus) asphaltina</i> Stephens, 1831	44
<i>Magdalis (Magdalinus) carbonaria</i> (Linnaeus, 1758)	44

<b><i>Magdalis (Magdalis)</i></b> Germar, 1817	
<i>Magdalis (Magdalis) duplicata</i> Germar, 1819	44
<i>Magdalis (Magdalis) frontalis</i> (Gyllenhal, 1827)	44
<i>Magdalis (Magdalis) linearis</i> (Gyllenhal, 1827)	44
<i>Magdalis (Magdalis) memnonia</i> (Gyllenhal, 1837)	44
<i>Magdalis (Magdalis) nitida</i> (Gyllenhal, 1827)	44
<i>Magdalis (Magdalis) phlegmatica</i> (Herbst, 1797)	44
<i>Magdalis (Magdalis) punctulata</i> Mulsant & Rey, 1858	44
<i>Magdalis (Magdalis) rufa</i> (Germar, 1824)	44
<i>Magdalis (Magdalis) violacea</i> (Linnaeus, 1758)	44
<b><i>Trachodes</i></b> Germar, 1824	
<i>Trachodes hispidulus</i> (Linnaeus, 1758)	47
<b><i>Acallorneuma</i></b> Mainardi, 1906	
<i>Acallorneuma ingoi</i> Osella & Zuppa, 2002	47
<i>Acallorneuma reitteri</i> Mainardi, 1906	47
<i>Acallorneuma sandieniense</i> Osella & Zuppa, 2002	47
<b><i>Camptorhinus</i></b> Schönherr, 1826	
<i>Camptorhinus simplex</i> Seidlitz, 1867	47
<i>Camptorhinus statua</i> (Rossi, 1790)	47
<b><i>Gasterocercus</i></b> Laporte de Castelnau & Brullé, 1828	
<i>Gasterocercus depressirostris</i> (Fabricius, 1792)	47
<b><i>Cryptorhynchus</i></b> Illiger, 1807	
<i>Cryptorhynchus lapathi</i> (Linnaeus, 1758)	47
<b><i>Sternochetus</i></b> Pierce, 1917	
<i>Sternochetus mangiferae</i> (Fabricius, 1775)	47
<b><i>Acalles</i></b> Schönherr, 1826	
<i>Acalles aubei</i> Boheman, 1837	45
<i>Acalles camelus</i> (Fabricius, 1792)	45
<i>Acalles characivorus</i> Stueben, 2005	45
<i>Acalles commutatus</i> Dieckmann, 1982	46
<i>Acalles croaticus</i> H. Brisout, 1867	45
<i>Acalles dieckmanni</i> Péricart, 1989	46
<i>Acalles diocletianus</i> (Germar, 1817)	45



<i>Acalles dromedarius</i> Germar, 1844	45
<i>Acalles dubius</i> A. Solari & F. Solari, 1907	45
<i>Acalles echinatus</i> (Germar, 1824)	45
<i>Acalles fausti</i> Meyer, 1896	45
<i>Acalles humerosus</i> Fairmaire, 1862	45
<i>Acalles kippenbergi</i> Dieckmann, 1982	46
<i>Acalles lemur</i> (Germar, 1824)	46
<i>Acalles longus</i> Desbrochers des Loges, 1892	46
<i>Acalles luigionii</i> A. Solari & F. Solari, 1907	45
<i>Acalles micros</i> Dieckmann, 1982	46
<i>Acalles navieresi</i> (Boheman, 1837)	45
<i>Acalles papei</i> A. Solari & F. Solari, 1905	46
<i>Acalles parvulus</i> Boheman, 1837	45
<i>Acalles provincialis</i> Hoffmann, 1960	45
<i>Acalles pyrenaeus</i> Boheman, 1844	45
<i>Acalles pulchellus</i> H. Brisout, 1864	46
<i>Acalles punctaticollis</i> Lucas, 1849	45
<i>Acalles roboris</i> Curtis, 1834	45
<i>Acalles rolleti</i> (Germar, 1817)	45
<i>Acalles saccoi</i> Colonnelli, 1973	45
<i>Acalles setulipennis</i> Desbrochers des Loges, 1871	46
<i>Acalles solarii</i> Fiori, 1903	45
<i>Acalles teter</i> Boheman, 1844	45
<i>Acalles temperei</i> Péricart, 1987	46
<i>Acalles tibialis</i> Weise, 1891	46
<b><i>Echinodera (Echinodera)</i></b> Wollaston, 1864	
<i>Echinodera (Echinodera) brisouti</i> (Reitter, 1885)	46
<i>Echinodera (Echinodera) capiomonti</i> (H. Brisout, 1864)	46
<i>Echinodera (Echinodera) ibleiensis</i> Stueben, 2003	46
<i>Echinodera (Echinodera) kostenbaderi</i> Stueben, 2002	46
<i>Echinodera (Echinodera) peragalloi</i> (Chevrolat, 1863)	46
<i>Echinodera (Echinodera) settefratelliensis</i> Stueben, 2005	46
<i>Echinodera (Echinodera) siciliensis</i> Stueben, 2003	46
<i>Echinodera (Echinodera) variegata</i> (Boheman, 1837)	46
<b><i>Echinodera (Ruteria)</i></b> Roudier, 1954	
<i>Echinodera (Ruteria) bellieri</i> (Reiche, 1860)	46
<i>Echinodera (Ruteria) hypocrita</i> (Boheman, 1837)	46
<b><i>Acallocrates</i></b> Reitter, 1916	
<i>Acallocrates denticollis</i> (Germar, 1824)	47
<i>Acallocrates minutesquamosus</i> (Reiche, 1869)	47
<b><i>Torneuma</i></b> Wollaston, 1860	

<i>Torneuma curtulum</i> F. Solari, 1937	47
<i>Torneuma damryi</i> Perris, 1876	47
<i>Torneuma deplanatum</i> Hampe, 1864	47
<i>Torneuma grouvellei</i> Desbrochers des Loges, 1889	47
<i>Torneuma minutum</i> Meyer, 1895	47
<i>Torneuma siculum</i> Ragusa, 1881	47
<b>Choerorhinus</b> Fairmaire, 1857	
<i>Choerorhinus squalidus</i> Fairmaire, 1857	48
<b>Amaurorhinus</b> Fairmaire, 1860	
<i>Amaurorhinus bewickianus</i> (Wollaston, 1860)	48
<i>Amaurorhinus caoduroi</i> Osella & Pogliano, 1984	48
<i>Amaurorhinus clermonti</i> Desbrochers, 1908	48
<i>Amaurorhinus lostiae</i> Fairmaire, 1883	48
<i>Amaurorhinus mediterraneus</i> Folwaczny, 1973	48
<i>Amaurorhinus sardous</i> Folwaczny, 1973	48
<b>Pentarthrum</b> Wollaston, 1854	
<i>Pentarthrum huttoni</i> Wollaston, 1854	48
<b>Cossonus</b> Clairville & Schellenberg, 1798	
<i>Cossonus cylindricus</i> Sahlberg, 1834	48
<i>Cossonus linearis</i> (Fabricius, 1775)	48
<i>Cossonus parallelepipedus</i> (Herbst, 1795)	48
<b>Mesites</b> Schönherr, 1838	
<i>Mesites cunipes</i> (Boheman, 1837)	48
<i>Mesites pallidipennis</i> (Boheman, 1837)	48
<b>Pselactus</b> Broun, 1886	
<i>Pselactus caoduroi</i> Osella, 1985	48
<i>Pselactus spadix</i> (Herbst, 1795)	48
<b>Rhyncolus</b> Germar, 1824	
<i>Rhyncolus chloropus</i> (Linnaeus, 1758) (= <i>R. ater</i> Linnaeus, 1758)	48
<i>Rhyncolus elongatus</i> (Gyllenhal, 1827)	48
<i>Rhyncolus punctatulus</i> Boheman, 1838	48
<i>Rhyncolus sculpturatus</i> Walzl, 1839	48
<i>Rhyncolus strangulatus</i> Perris, 1852	48
<b>Axenomimetes</b> Voss, 1955	

<i>Axenomimetes reflexus</i> (Boheman, 1838)	48
<b><i>Brachytemnus</i></b> Wollaston, 1873	
<i>Brachytemnus porcatus</i> (Germar, 1824)	48
<b><i>Aphanommata</i></b> Wollaston, 1873	
<i>Aphanommata filum</i> (Mulsant & Rey, 1859)	48
<b><i>Stenoscelis</i></b> Wollaston, 1861	
<i>Stenoscelis submuricatus</i> (Schönherr, 1832)	48
<b><i>Hexarthrum</i></b> Wollaston, 1860	
<i>Hexarthrum capitulum</i> (Wollaston, 1858)	48
<i>Hexarthrum culinaris</i> (Germar, 1824) (= <i>H. exiguum</i> Boheman, 1838)	48
<b><i>Stereocorynes</i></b> Wollaston, 1873	
<i>Stereocorynes truncorum</i> (Germar, 1824)	48
<b><i>Phloeophagus</i></b> Schönherr, 1838	
<i>Phloeophagus cylindrus</i> Boheman, 1838	49
<i>Phloeophagus gracilis</i> Rosenhauer, 1856	49
<i>Phloeophagus lignarius</i> (Marsham, 1802)	49
<i>Phloeophagus turbatus</i> (Schoenherr, 1845)	49
<b><i>Alaocyba</i></b> Perris, 1869	
<i>Alaocyba carinulata</i> Perris, 1869	49
<i>Alaocyba ientilei</i> Baviera, 2010	49
<i>Alaocyba magrinii</i> Fancello & Leo, 2013	49
<i>Alaocyba marcuzzii</i> Osella, 1977	49
<b><i>Pararaymondionymus</i></b> Osella, 1977	
<i>Pararaymondionymus meggiolaroi</i> Osella, 1977	49
<i>Pararaymondionymus sanfilippoii</i> Osella & Giusto, 1983	49
<i>Pararaymondionymus stricticollis</i> (Reitter, 1894)	49
<b><i>Raymondionymus</i></b> Wollaston, 1873	
<i>Raymondionymus marqueti</i> (Aubé, 1863)	49
<b><i>Tarattostichus</i></b> Ganglbauer, 1906	

<i>Tarattostichus irregularis</i> (Kodric, 1939)	49
<b>Raymondiellus</b> Ganglbauer, 1906	
<i>Raymondiellus doderoi</i> Ganglbauer, 1906	49
<i>Raymondiellus lagrecai</i> Osella, 1977	49
<i>Raymondiellus sardous</i> (Perris, 1869)	49
<i>Raymondiellus siculus</i> (Rottenberg, 1871)	49
<i>Raymondiellus vignai</i> Osella, 1977	49
<b>Ubychia</b> Rost, 1881	
<i>Ubychia leonhardi</i> Reitter, 1914	49
<b>Derosasius</b> Ganglbauer, 1906	
<i>Derosasius damryi</i> (Perris, 1874)	49
<b>Mononychus</b> Germar, 1824	
<i>Mononychus punctumalbum</i> (Herbst, 1784)	50
<b>Rhinoncus</b> Schönherr, 1825	
<i>Rhinoncus albicinctus</i> Gyllenhal, 1837	50
<i>Rhinoncus bruchoides</i> (Herbst, 1784)	50
<i>Rhinoncus castor</i> (Fabricius, 1792)	50
<i>Rhinoncus incospectus</i> (Herbst, 1795)	50
<i>Rhinoncus pericarpus</i> (Linnaeus, 1758)	50
<i>Rhinoncus perpendicularis</i> (Reich, 1797)	50
<b>Eubrychius</b> Thomson, 1859	
<i>Eubrychius velutus</i> (Beck, 1817)	50
<b>Phytobius</b> Schönherr, 1833	
<i>Phytobius leucogaster</i> (Marsham, 1802)	50
<b>Neophytobius</b> Wagner, 1936	
<i>Neophytobius granatus</i> (Gyllenhal, 1836)	50
<i>Neophytobius quadrinodosus</i> (Gyllenhal, 1813)	50
<b>Pelenomus</b> Thomson, 1859	
<i>Pelenomus canaliculatus</i> (Fåhraeus, 1843)	50
<i>Pelenomus comari</i> (Herbst, 1795)	50

<i>Pelenomus hygrophilus</i> (Hustache, 1923)	50
<i>Pelenomus quadricorniger</i> Colonnelli, 1986	50
<i>Pelenomus quadrituberculatus</i> (Fabricius, 1787)	50
<i>Pelenomus velaris</i> (Gyllenhal, 1827)	50
<i>Pelenomus waltoni</i> (Boheman, 1843)	50
<b><i>Brachiodontus</i></b> Schultze, 1897	
<i>Brachiodontus kraussi</i> Ganglbauer, 1902	50
<i>Brachiodontus pseudoalpinus</i> Osella & Cornacchia, 1974	50
<b><i>Rutidosoma</i> (<i>Rutidosoma</i>)</b> Stephens, 1831	
<i>Rutidosoma</i> ( <i>Rutidosoma</i> ) <i>globulus</i> (Herbst, 1795)	50
<b><i>Rutidosoma</i> (<i>Scleropteridius</i>)</b> Otto, 1897	
<i>Rutidosoma</i> ( <i>Scleropteridius</i> ) <i>fallax</i> (Otto, 1897)	50
<b><i>Scleropterus</i></b> Schönherr, 1826	
<i>Scleropterus offensus</i> Boheman, 1837	50
<i>Scleropterus serratus</i> (Germar, 1824)	50
<b><i>Amalus</i></b> Schönherr, 1826	
<i>Amalus scortillum</i> (Herbst, 1795)	50
<b><i>Tapinotus</i></b> Schönherr, 1826	
<i>Tapinotus sellatus</i> (Fabricius, 1794)	50
<b><i>Drupenatus</i></b> Reitter, 1913	
<i>Drupenatus nasturtii</i> (Germar, 1824)	50
<b><i>Amalorrhynchus</i></b> Reitter, 1913	
<i>Amalorrhynchus melanarius</i> (Stephens, 1831)	50
<b><i>Poophagus</i></b> Schönherr, 1837	
<i>Poophagus sisymbrii</i> (Fabricius, 1776)	50
<b><i>Ceutorhynchus</i></b> Germar, 1824	
<i>Ceutorhynchus aeneicollis</i> Germar, 1824	52
<i>Ceutorhynchus algericus</i> C. Brisout, 1869	51
<i>Ceutorhynchus alliariae</i> C. Brisout, 1860	51

<i>Ceutorhynchus alliaricola</i> Colonnelli, 1987	51
<i>Ceutorhynchus angustus</i> Dieckmann, 1972	51
<i>Ceutorhynchus arator</i> Gyllenhal, 1837	51
<i>Ceutorhynchus assimilis</i> (Paykull, 1792)	51
<i>Ceutorhynchus atomus</i> Boheman, 1845	52
<i>Ceutorhynchus barbareae</i> Suffrian, 1847	51
<i>Ceutorhynchus caietani</i> Colonnelli, 1992	51
<i>Ceutorhynchus cakilis</i> (Hansen, 1917)	51
<i>Ceutorhynchus carinatus</i> Gyllenhal, 1837	51
<i>Ceutorhynchus chalybaeus</i> Germar, 1824	52
<i>Ceutorhynchus chlorophanus</i> Rouget, 1857	51
<i>Ceutorhynchus cochleariae</i> (Gyllenhal, 1813)	52
<i>Ceutorhynchus constrictus</i> (Marsham, 1802)	51
<i>Ceutorhynchus contractus</i> (Marsham, 1802)	52
<i>Ceutorhynchus declivis</i> Colonnelli, 1988	52
<i>Ceutorhynchus duvali</i> C. Brisout, 1869	51
<i>Ceutorhynchus erysimi</i> (Fabricius, 1787)	52
<i>Ceutorhynchus fallax</i> Boheman, 1845	52
<i>Ceutorhynchus floralis</i> (Paykull, 1792)	51
<i>Ceutorhynchus fulvitarsis</i> Gougelet & H. Brisout, 1860	52
<i>Ceutorhynchus gallorhenanus</i> F. Solari, 1949	52
<i>Ceutorhynchus grenieri</i> Gougelet & H. Brisout, 1860	51
<i>Ceutorhynchus griseus</i> C. Brisout, 1869	51
<i>Ceutorhynchus hampei</i> (C. Brisout, 1869)	51
<i>Ceutorhynchus hepaticus</i> Gyllenhal, 1837	51
<i>Ceutorhynchus hirtulus</i> Germar, 1824	52
<i>Ceutorhynchus ignitus</i> Germar, 1824	51
<i>Ceutorhynchus inaeffectatus</i> Gyllenhal, 1837	51
<i>Ceutorhynchus intersetosus</i> Weise, 1883	52
<i>Ceutorhynchus laetus</i> Rosenhauer, 1856	51
<i>Ceutorhynchus leprieuri</i> C. Brisout, 1881	52
<i>Ceutorhynchus lukesi</i> Tyl, 1914	51
<i>Ceutorhynchus magnanoi</i> Colonnelli, 2011	52
<i>Ceutorhynchus matthiolae</i> Hoffmann, 1954	52
<i>Ceutorhynchus melitensis</i> Schultze, 1900	51
<i>Ceutorhynchus micans</i> C. Brisout, 1869	51
<i>Ceutorhynchus nanoides</i> Colonnelli, 1987	51
<i>Ceutorhynchus nanus</i> Gyllenhal, 1837	51
<i>Ceutorhynchus napi</i> Gyllenhal, 1837	51
<i>Ceutorhynchus obstructus</i> (Marsham, 1802)	52
<i>Ceutorhynchus osellai</i> Colonnelli, 1984	51
<i>Ceutorhynchus pallidactylus</i> (Marsham, 1802)	52
<i>Ceutorhynchus pantellarianus</i> Hoffmann, 1964	52
<i>Ceutorhynchus pervicax</i> Weise, 1883	51
<i>Ceutorhynchus peyerimhoffi</i> Hustache, 1916	51
<i>Ceutorhynchus picitarsis</i> Gyllenhal, 1837	52
<i>Ceutorhynchus posthumus</i> Germar, 1824	51
<i>Ceutorhynchus pulvinatus</i> Gyllenhal, 1837	51
<i>Ceutorhynchus pumilio</i> (Gyllenhal, 1827)	51

<i>Ceutorhynchus puncticollis</i> Boheman, 1845	51
<i>Ceutorhynchus pyrrhorhynchus</i> (Marsham, 1802)	51
<i>Ceutorhynchus rapae</i> Gyllenhal, 1837	51
<i>Ceutorhynchus rhenanus</i> Schultze, 1895	52
<i>Ceutorhynchus roberti</i> Gyllenhal, 1837	51
<i>Ceutorhynchus rusticus</i> Gyllenhal, 1837	52
<i>Ceutorhynchus sardeanensis</i> Schultze, 1903	52
<i>Ceutorhynchus satanas</i> Colonnelli, 2005	52
<i>Ceutorhynchus scrobicollis</i> Neresheimer & Wagner, 1924	51
<i>Ceutorhynchus similis</i> C. Brisout, 1869	51
<i>Ceutorhynchus sophiae</i> Steven, 1829	52
<i>Ceutorhynchus strejceki</i> Dieckmann, 1981	51
<i>Ceutorhynchus subpilosus</i> C. Brisout, 1869	52
<i>Ceutorhynchus sulcicollis</i> (Paykull, 1800)	52
<i>Ceutorhynchus syrites</i> Germar, 1824	51
<i>Ceutorhynchus thlaspi</i> C. Brisout, 1869	52
<i>Ceutorhynchus tibialis</i> Boheman, 1845	51
<i>Ceutorhynchus turbatus</i> Schultze, 1903	52
<i>Ceutorhynchus unguicularis</i> Thomson, 1871	52
<i>Ceutorhynchus verticalis</i> Colonnelli, 1992	51
<i>Ceutorhynchus viridipennis</i> C. Brisout, 1869	52
<i>Ceutorhynchus wagneri</i> Smreczynski, 1937	51
<b><i>Calosirus</i></b> Thomson, 1859	
<i>Calosirus apicalis</i> (Gyllenhal, 1827)	53
<i>Calosirus terminatus</i> (Herbst, 1795)	53
<b><i>Sirocalodes</i></b> Voss, 1958	
<i>Sirocalodes depressicollis</i> (Gyllenhal, 1813)	53
<i>Sirocalodes mixtus</i> (Mulsant & Rey, 1858)	53
<b><i>Oprohinus</i></b> Reitter, 1916	
<i>Oprohinus consputus</i> (Germar, 1824)	50
<i>Oprohinus suturalis</i> (Fabricius, 1777)	50
<b><i>Ranunculiphilus</i></b> Dieckmann, 1972	
<i>Ranunculiphilus faeculentus</i> (Gyllenhal, 1837)	53
<b><i>Ethelcus</i></b> Reitter, 1916	
<i>Ethelcus cinnamomeus</i> (Schultze, 1897)	53
<i>Ethelcus denticulatus</i> (Schrank, 1781)	53
<i>Ethelcus verrucatus</i> (Schrank, 1781)	53
<b><i>Glocianus</i></b> Reitter, 1916	

<i>Glocianus distinctus</i> (C. Brisout, 1870)	53
<i>Glocianus moelleri</i> (Thomson, 1868)	53
<i>Glocianus pilosellus</i> (Gyllenhal, 1837)	53
<i>Glocianus punctiger</i> (Gyllenhal, 1837)	53
<i>Glocianus ragusae</i> (C. Brisout, 1884)	53
<b><i>Neoglocianus</i></b> Dieckmann, 1972	
<i>Neoglocianus albovittatus</i> Germar, 1824	53
<i>Neoglocianus maculaalba</i> (Herbst, 1795)	53
<b><i>Stenocarus</i></b> Thomson, 1859	
<i>Stenocarus cardui</i> (Herbst, 1784)	53
<i>Stenocarus ruficornis</i> (Stephens, 1831)	53
<b><i>Phrydiuchus</i></b> Gozis, 1885	
<i>Phrydiuchus speiseri</i> (Schultze, 1897)	50
<i>Phrydiuchus spilmani</i> Warner, 1969	50
<i>Phrydiuchus topiarius</i> (Germar, 1824)	50
<b><i>Parethelcus</i></b> Dieckmann, 1972	
<i>Parethelcus pollinarius</i> (Forster, 1771)	53
<b><i>Bohemanius</i></b> Schultze, 1898	
<i>Bohemanius uroleucus</i> (Boheman, 1845)	53
<b><i>Hadroplontus</i></b> Thomson, 1859	
<i>Hadroplontus litura</i> (Fabricius, 1775)	53
<i>Hadroplontus trimaculatus</i> (Fabricius, 1775)	53
<b><i>Coeliastes</i></b> Weise, 1883	
<i>Coeliastes lamii</i> (Fabricius, 1792)	53
<b><i>Nedyus</i></b> Schönherr, 1825	
<i>Nedyus quadrimaculatus</i> (Linnaeus, 1758)	53
<b><i>Datonychus</i></b> Wagner, 1944	
<i>Datonychus angulosus</i> (Boheman, 1845)	53
<i>Datonychus arquata</i> (Herbst, 1795)	53
<i>Datonychus melanostictus</i> (Marsham, 1802)	53



<i>Datonychus urticae</i> (Boheman, 1845)	53
<b>Mogulones</b> Reitter, 1916	
<i>Mogulones abbreviatulus</i> (Fabricius, 1792)	54
<i>Mogulones amplipennis</i> (Schultze, 1896)	54
<i>Mogulones andreae</i> (Germar, 1823)	54
<i>Mogulones angulicollis</i> (Schultze, 1896)	54
<i>Mogulones annibal</i> (Desbrochers des Loges, 1896)	54
<i>Mogulones arcasi</i> (C. Brisout, 1869)	54
<i>Mogulones asperifoliarum</i> (Gyllenhal, 1813)	54
<i>Mogulones beckeri</i> (Schultze, 1900)	54
<i>Mogulones borraginis</i> (Fabricius, 1792)	54
<i>Mogulones crucifer</i> (Pallas, 1776)	54
<i>Mogulones curvistriatus</i> (Schultze, 1897)	54
<i>Mogulones cynoglossi</i> (Frauenfeld, 1866)	54
<i>Mogulones euphorbiae</i> (C. Brisout, 1866)	54
<i>Mogulones geographicus</i> (Goeze, 1777)	54
<i>Mogulones javetii</i> (Gerhardt, 1867)	54
<i>Mogulones larvatus</i> (Schultze, 1897)	54
<i>Mogulones pallidicornis</i> (Gougelet & H. Brisout, 1860)	54
<i>Mogulones peregrinus</i> (Gyllenhal, 1837)	54
<i>Mogulones symphyti</i> (Bedel, 1885) (= <i>raphani</i> Fabricius, 1792)	54
<i>Mogulones t-album</i> (Gyllenhal, 1837)	54
<b>Mogulonoides</b> Colonnelli, 1986	
<i>Mogulonoides radula</i> (Germar, 1824)	54
<b>Thamiocolus</b> Thomson, 1859	
<i>Thamiocolus nuberculosus</i> (Gyllenhal, 1837)	54
<i>Thamiocolus pubicollis</i> (Gyllenhal, 1837)	54
<i>Thamiocolus signatus</i> (Gyllenhal, 1837)	54
<i>Thamiocolus sinapis</i> (Desbrochers des Loges, 1893)	54
<i>Thamiocolus uniformis</i> (Gyllenhal, 1837)	54
<i>Thamiocolus viduatus</i> (Gyllenhal, 1837)	54
<i>Thamiocolus virgatus</i> (Gyllenhal, 1837)	54
<b>Microplontus</b> Wagner, 1944	
<i>Microplontus binaghii</i> (Colonnelli, 1977)	54
<i>Microplontus campestris</i> (Gyllenhal, 1837)	54
<i>Microplontus fairmairei</i> (C. Brisout, 1860)	54
<i>Microplontus figuratus</i> (Gyllenhal, 1837)	54
<i>Microplontus melonii</i> Colonnelli, 1984	54
<i>Microplontus molitor</i> (Gyllenhal, 1837)	54
<i>Microplontus rugulosus</i> (Herbst, 1795)	54
<i>Microplontus subfasciatus</i> (Chevrolat, 1860)	54

<i>Microplontus triangulum</i> (Boheman, 1845)	54
<b><i>Austroceutorhynchus</i></b> Korotyaev, 1980	
<i>Austroceutorhynchus italicus</i> (C. Brisout, 1869)	54
<b><i>Trichosirocalus</i></b> Colonnelli, 1979	
<i>Trichosirocalus barneivillei</i> (Grenier, 1866)	55
<i>Trichosirocalus horridus</i> (Panzer, 1801)	55
<i>Trichosirocalus rufulus</i> (Dufour, 1851)	55
<i>Trichosirocalus spurnyi</i> (Schultze, 1901)	55
<i>Trichosirocalus troglodytes</i> (Fabricius, 1787)	55
<i>Trichosirocalus urens</i> (Gyllenhal, 1837)	55
<b><i>Micrelus</i></b> Thomson, 1859	
<i>Micrelus ericae</i> (Gyllenhal, 1813)	55
<i>Micrelus ferrugatus</i> (Perris, 1847)	55
<b><i>Zacladus</i></b> Reitter, 1913	
<i>Zacladus exiguus</i> (Olivier, 1807)	53
<i>Zacladus geranii</i> (Paykull, 1800)	53
<b><i>Eucoeliodes</i></b> Smreczynski, 1974	
<i>Eucoeliodes mirabilis</i> (Villa & Villa, 1835)	55
<b><i>Coeliodes (Coeliodes)</i></b> Schönherr, 1837	
<i>Coeliodes (Coeliodes) angulipennis</i> F. Solari, 1940	55
<i>Coeliodes (Coeliodes) dryados</i> (Gmelin, 1790)	55
<i>Coeliodes (Coeliodes) erythroleucos</i> (Gmelin, 1790)	55
<i>Coeliodes (Coeliodes) ilicis</i> (Bedel, 1885)	55
<i>Coeliodes (Coeliodes) proximus</i> Schultze, 1895	55
<i>Coeliodes (Coeliodes) ruber</i> (Marsham, 1802)	55
<i>Coeliodes (Coeliodes) siculus</i> Schultze, 1901	55
<i>Coeliodes (Coeliodes) solarii</i> Baccetti, 1959	55
<i>Coeliodes (Coeliodes) trifasciatus</i> Bach, 1854	55
<b><i>Coeliodes (Coeliodinus)</i></b> Dieckmann, 1972	
<i>Coeliodes (Coeliodinus) rubicundus</i> (Herbst, 1795)	55
<b><i>Pseudocoeliodes</i></b> Hoffmann, 1956	
<i>Pseudocoeliodes rubricus</i> (Boheman, 1837)	55

<b><i>Paroxyonyx</i></b> Hustache, 1931	
<i>Paroxyonyx gobbii</i> Colonnelli, 1977	55
<b><i>Neoxyonyx</i></b> Hoffmann, 1930	
<i>Neoxyonyx strigirostris</i> (Hochhut, 1847)	55
<b><i>Auleutes</i></b> Dietz, 1896	
<i>Auleutes epilobii</i> (Paykull, 1800)	55
<b><i>Hypurus</i></b> Rey, 1882	
<i>Hypurus bertrandi</i> (Perris, 1852)	55
<b><i>Oreorhynchaesus</i></b> Otto, 1894	
<i>Oreorhynchaesus baldensis</i> Osella, Bellò & Pogliano, 1985	55
<i>Oreorhynchaesus focarilei</i> F. Solari, 1951	55
<i>Oreorhynchaesus pacei</i> Osella & Cornacchia, 1974	55
<i>Oreorhynchaesus spectator</i> (Holdhaus, 1936)	55
<b><i>Pseudophytobius</i></b> Desbrochers des Loges, 1884	
<i>Pseudophytobius acalloides</i> (Fairmaire, 1857)	55
<b><i>Orobitis</i></b> Germar, 1817	
<i>Orobitis cyaneus</i> (Linnaeus, 1758)	55
<b><i>Coryssomerus</i></b> Schönherr, 1826	
<i>Coryssomerus capucinus</i> (Beck, 1817)	56
<b><i>Baris</i></b> Germar, 1824	
<i>Baris analis</i> (Olivier, 1790)	56
<i>Baris angusta</i> Brullé, 1832	56
<i>Baris artemisiae</i> (Herbst, 1795)	56
<i>Baris atricolor</i> (Boheman, 1844)	56
<i>Baris chlorizans</i> Germar, 1824	56
<i>Baris coeruleascens</i> (Scopoli, 1763)	56
<i>Baris cuprirostris</i> (Fabricius, 1787)	56
<i>Baris dalmatina</i> (H. Brisout, 1870)	56
<i>Baris fallax</i> (H. Brisout, 1870)	56
<i>Baris gudenusi</i> Schultze, 1901	56
<i>Baris insularis</i> Desbrochers des Loges, 1892	56
<i>Baris janthina</i> (Boheman, 1836)	56

<i>Baris joffrei</i> Hustache, 1926	56
<i>Baris kaufmanni</i> Reitter, 1897	56
<i>Baris laticollis</i> (Marsham, 1802)	56
<i>Baris lepidii</i> Germar, 1824	56
<i>Baris morio</i> (Boheman, 1844)	56
<i>Baris parumpunctata</i> Fairmaire, 1865	56
<i>Baris pertusa</i> Kiesenwetter, 1864	56
<i>Baris picicornis</i> (Marsham, 1802)	56
<i>Baris picturata</i> Ménétries, 1849	56
<i>Baris prasina</i> (Boheman, 1836)	56
<i>Baris quadraticollis</i> (Boheman, 1844)	56
<i>Baris scolopacea</i> Germar, 1824	56
<i>Baris sellata</i> (Boheman, 1844)	56
<i>Baris spoliata</i> (Boheman, 1836)	56
<i>Baris timida</i> (Rossi, 1792)	56
<i>Baris villae</i> Comolli, 1837	56
<b><i>Limnobaris</i></b> Bedel, 1885	
<i>Limnobaris dolorosa</i> (Goeze, 1777)	56
<i>Limnobaris t-album</i> (Linnaeus, 1758)	56
<b><i>Anthonomus (Anthonomus)</i></b> Germar, 1817	
<i>Anthonomus (Anthonomus) amygdali</i> Hustache, 1930	57
<i>Anthonomus (Anthonomus) bituberculatus</i> Thomson, 1868	57
<i>Anthonomus (Anthonomus) chevrolati</i> Desbrochers des Loges, 1868	57
<i>Anthonomus (Anthonomus) conspersus</i> Desbrochers des Loges, 1868	57
<i>Anthonomus (Anthonomus) humeralis</i> (Panzer, 1795)	57
<i>Anthonomus (Anthonomus) pedicularius</i> (Linnaeus, 1758)	57
<i>Anthonomus (Anthonomus) piri</i> Kollar, 1837	57
<i>Anthonomus (Anthonomus) pomorum</i> (Linnaeus, 1758)	57
<i>Anthonomus (Anthonomus) rubi</i> (Herbst, 1795)	57
<i>Anthonomus (Anthonomus) rufus</i> Gyllenhal, 1836	57
<i>Anthonomus (Anthonomus) spilotus</i> Redtenbacher, 1849	57
<i>Anthonomus (Anthonomus) stierlini</i> Desbrochers des Loges, 1869	57
<i>Anthonomus (Anthonomus) terreus</i> Gyllenhal, 1836	57
<i>Anthonomus (Anthonomus) ulmi</i> (De Geer, 1775)	57
<b><i>Anthonomus (Paranthonomus)</i></b> Dietz, 1891	
<i>Anthonomus (Paranthonomus) varians</i> Paykull, 1792	57
<b><i>Anthonomus (Anthonomidius)</i></b> Reitter, 1915	
<i>Anthonomus (Anthonomidius) rubripes</i> Gyllenhal, 1836	57
<b><i>Furcipes</i></b> Desbrochers des Loges, 1868	

<i>Furcipes rectirostris</i> (Linnaeus, 1758)	57
<b><i>Brachonyx</i></b> Schönherr, 1826	
<i>Brachonyx pineti</i> (Paykull, 1792)	57
<b><i>Bradybatus (Bradybatus)</i></b> Germar, 1824	
<i>Bradybatus (Bradybatus) creutzeri</i> Germar, 1824	57
<i>Bradybatus (Bradybatus) fallax</i> Gertaeker, 1870	57
<i>Bradybatus (Bradybatus) kellneri</i> Bach, 1854	57
<i>Bradybatus (Bradybatus) tomentosus</i> Desbrochers des Loges, 1892	57
<b><i>Bradybatus (Nothops)</i></b> Marseul, 1868	
<i>Bradybatus (Nothops) elongatulus</i> (Boheman, 1843)	57
<b><i>Derelomus</i></b> Schönherr, 1826	
<i>Derelomus chamaeropsis</i> (Fabricius, 1793)	57
<i>Derelomus subcostatus</i> (Boheman, 1844)	57
<b><i>Pseudoderelomus</i></b> Hoffmann, 1938	
<i>Pseudoderelomus piriformis</i> Hoffmann, 1938	57
<b><i>Curculio (Curculio)</i></b> Linnaeus, 1758	
<i>Curculio (Curculio) cerasorum</i> Fabricius, 1775	58
<i>Curculio (Curculio) elephas</i> (Gyllenhal, 1836)	58
<i>Curculio (Curculio) glandium</i> Marsham, 1802	58
<i>Curculio (Curculio) nucum</i> Linnaeus, 1758	58
<i>Curculio (Curculio) pellitus</i> (Boheman, 1843)	58
<i>Curculio (Curculio) propinquus</i> (Desbrochers des Loges, 1868)	58
<i>Curculio (Curculio) reichei</i> (Desbrochers des Loges, 1868)	58
<i>Curculio (Curculio) venosus</i> (Gravenhorst, 1807)	58
<b><i>Curculio (Balanobius)</i></b> Jekel, 1861	
<i>Curculio (Balanobius) crux</i> Fabricius, 1776	58
<i>Curculio (Balanobius) pyrrhoceras</i> Marsham, 1802	58
<i>Curculio (Balanobius) salicivorus</i> Paykull, 1792	58
<i>Curculio (Balanobius) vicetinus</i> Cussigh, 1989	58
<i>Curculio (Balanobius) villosus</i> Fabricius, 1781	58
<b><i>Archarius</i></b> Gistel, 1856	
<i>Archarius ziliolii</i> Diotti & Caldara, 2013	58

<b><i>Acalyptus</i> Schönherr, 1836</b>	
<i>Acalyptus carpini</i> (Herbst, 1795)	57
<i>Acalyptus sericeus</i> Gyllenhal, 1836	57
<b><i>Ellescus</i> Dejean, 1821</b>	
<i>Ellescus bipunctatus</i> (Linnaeus, 1758)	57
<i>Ellescus infirmus</i> (Herbst, 1795)	57
<i>Ellescus scanicus</i> (Paykull, 1792)	57
<b><i>Lignyodes</i> Schönherr, 1836</b>	
<i>Lignyodes enucleator</i> (Panzer, 1798)	60
<i>Lignyodes uniformis</i> Desbrochers des Loges, 1894	60
<b><i>Tychius</i> (<i>Tychius</i>) Germar, 1817</b>	
<i>Tychius</i> ( <i>Tychius</i> ) <i>argentatus</i> Chevrolat, 1859	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>aureolus</i> Kiesenwetter, 1851	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>bicolor</i> C. Brisout, 1862	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>bivittatus</i> Perris, 1866	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>breviusculus</i> Desbrochers des Loges, 1873	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>capucinus</i> (Boheman, 1843)	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>cinnamomeus</i> Kiesenwetter, 1851	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>consputus</i> Kiesenwetter, 1864	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>cuprifer</i> (Panzer, 1799)	60
<i>Tychius</i> ( <i>Tychius</i> ) <i>cupriferoides</i> (Ragusa, 1922)	60
<i>Tychius</i> ( <i>Tychius</i> ) <i>curtirostris</i> Desbrochers des Loges, 1873	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>decretus</i> Tournier, 1873	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>depressus</i> Desbrochers des Loges, 1873	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>flavus</i> Becker, 1864	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>focarilei</i> F. Solari, 1950	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>grandicollis</i> Desbrochers des Loges, 1873	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>grenieri</i> C. Brisout, 1861	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>junceus</i> (Reich, 1797)	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>kulzeri</i> Penecke, 1934	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>lineatulus</i> Stephens, 1831	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>longicollis</i> C. Brisout, 1862	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>medicaginis</i> C. Brisout, 1862	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>meliloti</i> Stephens, 1831	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>naxiae</i> Faust, 1889	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>parallelus</i> (Panzer, 1794)	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>picrostris</i> (Fabricius, 1787)	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>polylineatus</i> (Germar, 1824)	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>pumilus</i> C. Brisout, 1862	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>pusillus</i> Germar, 1842	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>quinquepunctatus</i> (Linnaeus, 1758)	59
<i>Tychius</i> ( <i>Tychius</i> ) <i>schneideri</i> (Herbst, 1795)	59

<i>Tychius (Tychius) squamulatus</i> Gyllenhal, 1836	59
<i>Tychius (Tychius) stephensi</i> Schönherr, 1836	59
<i>Tychius (Tychius) striatulus</i> Gyllenhal, 1836	59
<i>Tychius (Tychius) suturatus</i> (Perris, 1866)	60
<i>Tychius (Tychius) thoracicus</i> Boheman, 1843	59
<i>Tychius (Tychius) tibialis</i> Boheman, 1843	59
<i>Tychius (Tychius) trivialis</i> Boheman, 1843	59
<b><i>Sibinia</i> Germar, 1824</b>	
<i>Sibinia arenariae</i> Stephens, 1831	60
<i>Sibinia attalica</i> Gyllenhal, 1836	60
<i>Sibinia exigua</i> Faust, 1885	60
<i>Sibinia femoralis</i> Germar, 1824	60
<i>Sibinia pellucens</i> (Scopoli, 1772)	60
<i>Sibinia phalerata</i> Gyllenhal, 1836	60
<i>Sibinia primita</i> (Herbst, 1795)	60
<i>Sibinia sodalis</i> Germar, 1824	60
<i>Sibinia subelliptica</i> (Desbrochers des Loges, 1873)	60
<i>Sibinia subtriangulifera</i> Desbrochers des Loges, 1888	60
<i>Sibinia tibialis</i> (Gyllenhal, 1836)	60
<i>Sibinia unicolor</i> (Fåhraeus, 1843)	60
<i>Sibinia variata</i> Gyllenhal, 1836	60
<i>Sibinia viscaria</i> (Linnaeus, 1761)	60
<b><i>Dorytomus (Dorytomus)</i> Germar, 1817</b>	
<i>Dorytomus (Dorytomus) dejeani</i> Faust, 1882	61
<i>Dorytomus (Dorytomus) dorsalis</i> (Linnaeus, 1758)	61
<i>Dorytomus (Dorytomus) edoughensis</i> Desbrochers des Loges, 1875	61
<i>Dorytomus (Dorytomus) filirostris</i> (Gyllenhal, 1836)	61
<i>Dorytomus (Dorytomus) longimanus</i> (Forster, 1771)	61
<i>Dorytomus (Dorytomus) schoenherri</i> Faust, 1882	61
<i>Dorytomus (Dorytomus) suratus</i> (Gyllenhal, 1836)	61
<i>Dorytomus (Dorytomus) taeniatus</i> (Fabricius, 1781)	61
<i>Dorytomus (Dorytomus) tortrix</i> (Linnaeus, 1761)	61
<i>Dorytomus (Dorytomus) tremulae</i> (Fabricius, 1800)	61
<b><i>Dorytomus (Euolamus)</i> Reitter, 1916</b>	
<i>Dorytomus (Euolamus) hirtipennis</i> (Bedel, 1884)	61
<i>Dorytomus (Euolamus) ictor</i> (Herbst, 1795)	61
<i>Dorytomus (Euolamus) minutus</i> (Gyllenhal, 1836)	61
<i>Dorytomus (Euolamus) nebulosus</i> (Gyllenhal, 1836)	61
<i>Dorytomus (Euolamus) occallescens</i> (Gyllenhal, 1836)	61
<i>Dorytomus (Euolamus) salicis</i> Walton, 1851	61
<b><i>Dorytomus (Olamus)</i> Reitter, 1916</b>	

<i>Dorytomus (Olamus) majalis</i> (Paykull, 1800)	61
<i>Dorytomus (Olamus) melanophthalmus</i> (Paykull, 1792)	61
<i>Dorytomus (Olamus) puberulus</i> (Boheman, 1843)	61
<i>Dorytomus (Olamus) rufatus</i> (Bedel, 1888)	61
<i>Dorytomus (Olamus) salicinus</i> (Gyllenhal, 1836)	61
<i>Dorytomus (Olamus) villosulus</i> (Gyllenhal, 1836)	61
<b><i>Acentrus</i></b> Schönherr, 1845	
<i>Acentrus histrio</i> Boheman, 1845	61
<b><i>Styphlidius</i></b> Penecke, 1936	
<i>Styphlidius corcyreus</i> (Reitter, 1884)	61
<b><i>Comasinus</i></b> Dejean, 1821	
<i>Comasinus insignis</i> (Aubé, 1863)	61
<i>Comasinus setiger</i> (Beck, 1817)	61
<b><i>Trachysoma</i></b> Penecke, 1894	
<i>Trachysoma alpinum</i> Penecke, 1894	61
<b><i>Notaris (Notaris)</i></b> Germar, 1817	
<i>Notaris (Notaris) aethiops</i> (Fabricius, 1792)	62
<i>Notaris (Notaris) scirpi</i> (Fabricius, 1792)	62
<b><i>Notaris (Erycus)</i></b> Tournier, 1874	
<i>Notaris (Erycus) acridulus</i> (Linnaeus, 1758)	62
<i>Notaris (Erycus) aterrimus</i> (Hampe, 1850)	62
<i>Notaris (Erycus) maerkelii</i> (Boheman, 1843)	62
<b><i>Bagoopsis</i></b> Faust, 1881	
<i>Bagoopsis globicollis</i> (Fairmaire, 1863)	62
<b><i>Icaris</i></b> Tournier, 1874	
<i>Icaris sparganii</i> (Gyllenhal, 1836)	62
<b><i>Aubeonymus</i></b> Jacquelin du Val, 1854	
<i>Aubeonymus carinicollis</i> (Lucas, 1849)	62
<i>Aubeonymus notatus</i> Mulsant, 1867	62
<b><i>Pachytychius</i></b> Jekel, 1861	



<i>Pachytychius aridicola</i> (Wollaston, 1864)	62
<i>Pachytychius avulsus</i> Faust, 1885	62
<i>Pachytychius discithorax</i> Desbrochers des Loges, 1873	62
<i>Pachytychius fuliginus</i> Desbrochers des Loges, 1875	62
<i>Pachytychius haematocephalus</i> (Gyllenhal, 1836)	62
<i>Pachytychius hordei</i> (Brullé, 1832)	62
<i>Pachytychius sparsutus</i> (Olivier, 1807)	62
<b>Grypus</b> Germar, 1817	
<i>Grypus brunnirostris</i> (Fabricius, 1792)	62
<i>Grypus equiseti</i> (Fabricius, 1775)	62
<b>Thryogenes</b> Bedel, 1884	
<i>Thryogenes festucae</i> (Herbst, 1795)	62
<i>Thryogenes nereis</i> (Paykull, 1800)	62
<b>Lissorhonus</b> LeConte, 1876	
<i>Lissorhonus oryzophilus</i> Kuschel, 1952	62
<b>Pseudostyphlus</b> Stephens, 1831	
<i>Pseudostyphlus pillumus</i> (Gyllenhal, 1836)	62
<b>Geranorrhinus</b> Chevrolat, 1860	
<i>Geranorrhinus pusillus</i> (Motschulsky, 1851)	62
<b>Smicronyx (Chalybodontus)</b> Desbrochers des Loges, 1885	
<i>Smicronyx (Chalybodontus) cyaneus</i> (Gyllenhal, 1836)	63
<b>Smicronyx (Smicronyx)</b> Schönherr, 1843	
<i>Smicronyx (Smicronyx) albosquamosus</i> Wollaston, 1854	63
<i>Smicronyx (Smicronyx) jungermanniae</i> (Reich, 1797)	63
<i>Smicronyx (Smicronyx) menozzii</i> F. Solari, 1952	63
<i>Smicronyx (Smicronyx) pygmaeus</i> Curtis, 1840	63
<i>Smicronyx (Smicronyx) reichi</i> (Gyllenhal, 1836)	63
<i>Smicronyx (Smicronyx) rugicollis</i> Rey, 1895	63
<i>Smicronyx (Smicronyx) scops</i> Tournier, 1874	63
<i>Smicronyx (Smicronyx) striatipennis</i> Tournier, 1874	63
<b>Dicranthus</b> Germar, 1917	
<i>Dicranthus majzlani</i> Kodada, Holecová & Behne, 1992	63

<b><i>Bagous (Ephimeropus)</i></b> Hochhut, 1847	
<i>Bagous (Ephimeropus) biimpressus</i> Fåhraeus, 1845	63
<b><i>Bagous (Parabagous)</i></b> Schilsky, 1907	
<i>Bagous (Parabagous) costulatus</i> Perris, 1870	63
<b><i>Bagous (Bagous)</i></b> Germar, 1817	
<i>Bagous (Bagous) argillaceus</i> Gyllenhal, 1836	63
<i>Bagous (Bagous) bagdatensis</i> Pic, 1904	63
<i>Bagous (Bagous) binodulus</i> (Herbst, 1795)	63
<i>Bagous (Bagous) collignensis</i> (Herbst, 1797)	63
<i>Bagous (Bagous) guttatus</i> Desbrochers des Loges, 1896	63
<i>Bagous (Bagous) limosus</i> (Gyllenhal, 1827)	63
<i>Bagous (Bagous) longitarsis</i> Thomson, 1868	63
<i>Bagous (Bagous) lutulosus</i> (Gyllenhal, 1827)	63
<i>Bagous (Bagous) nodulosus</i> Gyllenhal, 1836	63
<i>Bagous (Bagous) rufimanus</i> Hoffmann, 1954	63
<i>Bagous (Bagous) subcarinatus</i> Gyllenhal, 1836	63
<i>Bagous (Bagous) tempestivus</i> (Herbst, 1795)	63
<b><i>Bagous (Abagous)</i></b> Sharp, 1916	
<i>Bagous (Abagous) glabrirostris</i> (Herbst, 1795)	63
<i>Bagous (Abagous) lutosus</i> (Gyllenhal, 1813)	63
<i>Bagous (Abagous) lutulentus</i> (Gyllenhal, 1813)	63
<i>Bagous (Abagous) puncticollis</i> Boheman, 1845	63
<i>Bagous (Abagous) robustus</i> H. Brisout, 1863	63
<i>Bagous (Abagous) validus</i> Rosenhauer, 1847	63
<b><i>Hydronomus</i></b> Schönherr, 1826	
<i>Hydronomus alismatis</i> (Marsham, 1802)	63
<b><i>Stenopelmus</i></b> Schönherr, 1836	
<i>Stenopelmus rufinasus</i> Gyllenhal, 1836	63
<b><i>Tanysphyrus</i></b> Schönherr, 1826	
<i>Tanysphyrus lemnae</i> (Paykull, 1792)	63
<b><i>Anoplus</i></b> Schönherr, 1826	
<i>Anoplus plantaris</i> (Naezen, 1794)	64
<i>Anoplus roboris</i> Suffrian, 1840	64

<i>Anoplus setulosus</i> Kirsch, 1870	64
<b><i>Rhamphus</i></b> Clairville & Schellenberg, 1798	
<i>Rhamphus oxyacanthae</i> (Marsham, 1802)	64
<i>Rhamphus pulicarius</i> (Herbst, 1795)	64
<b><i>Rhynchaenus (Rhynchaenus)</i></b> Clairville & Schellenberg, 1798	
<i>Rhynchaenus (Rhynchaenus) alni</i> (Panzer, 1795)	64
<i>Rhynchaenus (Rhynchaenus) betuleti</i> (Linnaeus, 1758)	64
<i>Rhynchaenus (Rhynchaenus) erythropus</i> (Germar, 1821)	64
<i>Rhynchaenus (Rhynchaenus) hortorum</i> (Fabricius, 1792)	64
<i>Rhynchaenus (Rhynchaenus) irroratus</i> Kiesenwetter, 1851	64
<i>Rhynchaenus (Rhynchaenus) jota</i> (Fabricius, 1787)	64
<i>Rhynchaenus (Rhynchaenus) pilosus</i> (Fabricius, 1781)	64
<i>Rhynchaenus (Rhynchaenus) quedenfeldti</i> (Gerhardt, 1865)	64
<i>Rhynchaenus (Rhynchaenus) quercus</i> (Linnaeus, 1758)	64
<i>Rhynchaenus (Rhynchaenus) rusci</i> (Herbst, 1795)	64
<i>Rhynchaenus (Rhynchaenus) sparsus</i> Fähræus, 1843	64
<b><i>Rhynchaenus (Alyctus)</i></b> Thomson, 1859	
<i>Rhynchaenus (Alyctus) lonicerae</i> (Herbst, 1795)	64
<i>Rhynchaenus (Alyctus) rusci</i> (Herbst, 1795)	64
<i>Rhynchaenus (Alyctus) subfasciatus</i> (Gyllenhal, 1836)	64
<b><i>Rhynchaenus (Euthoron)</i></b> Thomson, 1859	
<i>Rhynchaenus (Euthoron) fagi</i> (Linnaeus, 1758)	64
<b><i>Rhynchaenus (Threcticus)</i></b> Thomson, 1859	
<i>Rhynchaenus (Threcticus) calceatus</i> (Germar, 1821)	64
<i>Rhynchaenus (Threcticus) testaceus</i> (Müller, 1776)	64
<b><i>Rhynchaenus (Tachyerges)</i></b> Schönherr, 1826	
<i>Rhynchaenus (Tachyerges) decoratus</i> (Germar, 1821)	64
<i>Rhynchaenus (Tachyerges) pseudostigma</i> Tempère, 1982	64
<i>Rhynchaenus (Tachyerges) rufitarsis</i> (Germar, 1821)	64
<i>Rhynchaenus (Tachyerges) salicis</i> (Linnaeus, 1758)	64
<i>Rhynchaenus (Tachyerges) stigma</i> (Germar, 1821)	64
<b><i>Rhynchaenus (Isochnus)</i></b> Thomson, 1859	
<i>Rhynchaenus (Isochnus) foliorum</i> (Müller, 1776)	64
<i>Rhynchaenus (Isochnus) populicola</i> Silfverberg, 1977	64

<b><i>Pseudorchestes</i></b> Bedel, 1894	
<i>Pseudorchestes cinereus</i> (Fåhraeus, 1843)	64
<i>Pseudorchestes persimilis</i> (Reitter, 1911)	64
<i>Pseudorchestes pratensis</i> (Germar, 1821)	64
<b><i>Mecinus</i></b> Germar, 1821	
<i>Mecinus barbarus</i> Gyllenhal, 1838 (= <i>M. longiusculus</i> Boheman, 1845)	65
<i>Mecinus circulatus</i> (Marsham, 1802)	65
<i>Mecinus collaris</i> Germar, 1821	65
<i>Mecinus comosus</i> Boheman, 1845	65
<i>Mecinus heydeni</i> Wencker, 1866	65
<i>Mecinus janthinus</i> (Germar, 1817)	65
<i>Mecinus sicardi</i> Hustache, 1920	65
<b><i>Miarus</i></b> Schönherr, 1826	
<i>Miarus abeillei</i> Desbrochers des Loges, 1893	67
<i>Miarus abnormis</i> F. Solari, 1947	67
<i>Miarus ajugae</i> (Herbst, 1795)	67
<i>Miarus campanulae</i> (Linnaeus, 1767)	67
<i>Miarus distinctus</i> (Boheman, 1845)	66
<i>Miarus longirostris</i> (Gyllenhal, 1838)	66
<i>Miarus meridionalis</i> (H. Brisout, 1862)	66
<i>Miarus perjuratus</i> Smreczynski, 1973	67
<i>Miarus plantarum</i> (Germar, 1824)	66
<i>Miarus ursinus</i> Abeille, 1906	67
<b><i>Gymnetron (Gymnetron)</i></b> Schönherr, 1826	
<i>Gymnetron (Gymnetron) alboscuteatum atratum</i> F. Solari, 1931	65
<i>Gymnetron (Gymnetron) aper</i> Desbrochers des Loges, 1893	65
<i>Gymnetron (Gymnetron) comosum</i> Rosenhauer, 1847	66
<i>Gymnetron (Gymnetron) melanarium</i> (Germar, 1821)	65
<i>Gymnetron (Gymnetron) pascuorum</i> (Gyllenhal, 1813)	65
<i>Gymnetron (Gymnetron) pirazzolii</i> (Stierlin, 1867)	65
<i>Gymnetron (Gymnetron) plantaginis</i> Eppelsheim, 1875	65
<i>Gymnetron (Gymnetron) rostellum</i> (Herbst, 1795)	65
<i>Gymnetron (Gymnetron) rotundicolle</i> Gyllenhal, 1838	65
<i>Gymnetron (Gymnetron) simum</i> Mulsant & Rey, 1858	65
<i>Gymnetron (Gymnetron) stimulosum</i> (Germar, 1821)	65
<i>Gymnetron (Gymnetron) tibiellum</i> Desbrochers des Loges, 1900	65
<i>Gymnetron (Gymnetron) variabile</i> Rosenhauer, 1856	65
<i>Gymnetron (Gymnetron) veronicae</i> (Germar, 1821)	65
<i>Gymnetron (Gymnetron) villosulum</i> Gyllenhal, 1838	65
<b><i>Gymnetron (Rhinusa)</i></b> Stephens, 1831	

<i>Gymnetron (Rhinusa) antirrhini</i> (Paykull, 1800)	66
<i>Gymnetron (Rhinusa) asellus</i> (Gravenhorst, 1807)	66
<i>Gymnetron (Rhinusa) bipustulatum</i> (Rossi, 1794)	66
<i>Gymnetron (Rhinusa) canescens</i> Desbrochers des Loges, 1893	66
<i>Gymnetron (Rhinusa) collinum</i> (Gyllenhal, 1813)	66
<i>Gymnetron (Rhinusa) depressum</i> Rottenberg, 1871	66
<i>Gymnetron (Rhinusa) eversmanni</i> (Rosenschoeld, 1838)	66
<i>Gymnetron (Rhinusa) herbarum</i> H. Brisout, 1862	66
<i>Gymnetron (Rhinusa) linariae</i> (Panzer, 1792)	66
<i>Gymnetron (Rhinusa) moroderi</i> (Reitter, 1907)	66
<i>Gymnetron (Rhinusa) netum</i> (Germar, 1821)	66
<i>Gymnetron (Rhinusa) tetrum</i> (Fabricius, 1792)	66
<i>Gymnetron (Rhinusa) thapsicola</i> (Germar, 1821)	66
<i>Gymnetron (Rhinusa) vestitum</i> (Germar, 1821)	66
<b>Cionus</b> Clairville & Schellenberg, 1798	
<i>Cionus alauda</i> (Herbst, 1784)	67
<i>Cionus balianii</i> F. Solari, 1932	67
<i>Cionus clairvillei</i> Boheman, 1838	67
<i>Cionus hortulanus</i> (Fourcroy, 1785)	67
<i>Cionus longicollis</i> C. Brisout, 1863	67
<i>Cionus nigratarsis</i> Reitter, 1904	67
<i>Cionus olens</i> (Fabricius, 1792)	67
<i>Cionus olivieri</i> Rosenschöld, 1838	67
<i>Cionus pulverosus</i> Gyllenhal, 1838	67
<i>Cionus schoenherri</i> C. Brisout, 1863	67
<i>Cionus scrophulariae</i> (Linnaeus, 1758)	67
<i>Cionus thapsus</i> (Fabricius, 1792)	67
<i>Cionus tuberculosus</i> (Scopoli, 1792)	67
<b>Stereonychus</b> Suffrian, 1854	
<i>Stereonychus fraxini</i> (De Geer, 1775)	67
<i>Stereonychus phillyreae</i> Chevrolat, 1859	67
<b>Cleopus</b> Stephens, 1831	
<i>Cleopus solani</i> (Fabricius, 1792)	67
<b>Cionellus</b> Reitter, 1904	
<i>Cionellus gibbifrons</i> (Kiesenwetter, 1851)	67

<b>DRYOPHTHORIDAE</b>	scatola
<b><i>Dryophthorus</i></b> Schönherr, 1826	
<i>Dryophthorus corticalis</i> (Paykull, 1792)	58
<b><i>Sphenophorus</i></b> Schönherr, 1838	
<i>Sphenophorus abbreviatus</i> (Fabricius, 1787)	58
<i>Sphenophorus meridionalis</i> (Gyllenhal, 1837)	58
<i>Sphenophorus parumpunctatus</i> (Gyllenhal, 1837)	58
<i>Sphenophorus piceus</i> (Pallas, 1776)	58
<i>Sphenophorus striatopunctatus</i> (Goeze, 1777)	58
<b><i>Sitophilus</i></b> Schönherr, 1838	
<i>Sitophilus granarius</i> (Linné, 1758)	58
<i>Sitophilus oryzae</i> (Linné, 1763)	58
<i>Sitophilus zeamais</i> Motschulsky, 1855	58
<b><i>Rhynchophorus</i></b> Herbst, 1795	
<i>Rhynchophorus ferrugineus</i> (Olivier, 1790)	58